

Indexes to CORROSION

Vol. 52, Nos. 1-12

Title Index

January (No. 1)

- Effect of Hydrogen on Cathodic Corrosion of Titanium Aluminide
K.-W. Gao, J.-W. Jin, L.-J. Qiao, W.-Y. Chu, and C.-M. Hsiao 3
- Microconstituent-Induced Pitting Corrosion in Aluminum Alloy 2024-T3
G.S. Chen, M. Gao, and R.P. Wei 8
- Molybdate and Nitrite as Corrosion Inhibitors for Copper-Coupled Steel in Simulated Cooling Water
C.M. Mustafa and S.M. Shahnoor Islam Dulal 16
- Effect of Manganese on Pitting Properties of Type 301L Stainless Steel
V. Mitrovic-Scepanovic and R.J. Brigham 23
- Effect of Zinc Additions on Oxide Rupture Strain and Repassivation Kinetics of Iron-Based Alloys in 288°C Water
T.M. Angelis and P.L. Andresen 28
- Influence of Nitrogen on Electrochemical Passivation of High-Nickel Stainless Steels and Thin Molybdenum-Nickel Films
G.P. Halada, D. Kim, and C.R. Clayton 36
- Improving the Corrosion Resistance of Power Metallurgy Austenitic Stainless Steels Through Infiltration
F. Velasco, J.R. Ibars, J.M. Ruiz-Román, J.M. Torralba, and J.M. Ruiz-Prieto 47
- A Nonequilibrium Approach to Development of Reference Electrodes and Oxygen Sensors for High-Temperature Aqueous Systems
V.A. Marichev 53
- Behavior of Painted Steel and Aluminum Sheet in Laboratory Automotive Corrosion Tests
H.E. Townsend 66
- Behavior of Type 316 Austenitic Stainless Steel Under Slow Strain Rate Technique Conditions in Lithium Bromide Heavy Brine Environments
D. Itzhak, O. Elias, and Y. Greenberg 72

February (No. 2)

- Surface-Enhanced Raman Scattering Spectroscopy Studies on the Inhibition Mechanism of Propargyl Alcohol for Iron Corrosion in Hydrochloric Acid
K. Aramaki and E. Fujitaka 83
- Role of Nonmetallic Inclusions in Fatigue, Pitting, and Corrosion Fatigue
Y. Wang and R. Akid 92
- Some Nonionic Surfactants as Inhibitors of the Corrosion of Iron in Acid Chloride Solutions
M. Elachouri, M.S. Hajji, M. Salem, S. Kertti, J. Aride, R. Coudert, and E. Essassi 103
- Critical Pitting Potentials for Type 304 Stainless Steel in High-Temperature Chloride Solutions
H. Yashiro, K. Tanno, S. Koshiyama, and K. Akashi 109
- Long-Term Prediction of Localized Corrosion of Alloy 825 in High-Level Nuclear Waste Repository Environments
D.S. Dunn, N. Sridhar, and G.A. Cragnolino 115
- Hydrogen Absorption in Iron Exposed to Simulated Concrete Pore Solutions
R.S. Lillard and J.R. Scully 125
- Effect of Grain-Boundary Corrosion on Impedance Characteristics of an Aluminum-Zinc-Indium Alloy in 3.5% Sodium Chloride Solution
A. Venugopal, R.D. Angal, and V.S. Raja 138
- Role of Hydrogen and Stresses in the Failure of Heat Exchanger Pipes
E. Lunarska 143
- Beneficial Role of Chloride Ions During Pickling of Steel in Sulfuric Acid
B. Gaur, T.B. Singh, and D.D.N. Singh 154

March (No. 3)

- Measurements of Corrosion at Defects in Painted Zinc and Zinc Alloy Coated Steels Using Current Density Mapping
H.S. Isaacs, A.J. Aldykiewicz Jr., D. Thierry, and T.C. Simpson 163
- Interface-Engineered Polyene C Coating for Corrosion Protection of Cold-Rolled Steel
H. Yasuda, B.H. Chun, D.L. Cho, T.J. Lin, D.J. Yang, and J.A. Antonelli 169
- N-Lauroyl Sarcosine Sodium Salt as a Corrosion Inhibitor for Type 1518 Carbon Steel in Neutral Saline Environments
A. Frignani, G. Trabacelli, C. Wrubel, and A. Mollica 177
- A New Amorphous Alloy Deposit with High Corrosion Resistance
S. Yao, S. Zhao, H. Guo, and M. Kowaka 183
- Relative Contributions of Several Cathodic Reactions to the Anodic Dissolution of Electroaluminized Steel
D.L. Jordan, L.L. Franks, and J.S. Kallend 187

- Environmental Factors in the Stress Corrosion Cracking of Type 316L Stainless Steel and Alloy 825 in Chloride Solutions
G. Cragnolino, D.S. Dunn, and N. Sridhar 194
- Instantaneous Corrosion Rate Measurement with Small-Amplitude Potential Intermodulation Techniques
R.W. Bosch and W.F. Bogaerts 204
- Effects of Thermal Spray Coating Composition and Microstructure on Coating Response and Substrate Protection at High Temperatures
S.T. Blum and A.R. Marder 213
- Application of Superconducting Magnetometry in the Study of Aircraft Aluminum Alloy Corrosion
D. Li, Y. Ma, W.F. Flanagan, B.D. Lichter, and J.P. Wikswo Jr. 219
- Role of Solution Chemistry on Corrosion of Copper in Tap Water: Effect of Sulfate Ion Concentration on Uniform and Localized Attack
M.R. Reda and J.N. Alhajji 232

April (No. 4)

- Effect of Externally Added Molybdate on Repassivation and Stress Corrosion Cracking of Type 304 Stainless Steel in Hydrochloric Acid
A. Devasenapathi and V.S. Raja 243
- Pitting Corrosion of Iron in Weakly Alkaline Chloride Solutions
G.L. Makar and D. Tromans 250
- Phenomenological Aspects of Fatigue Crack Initiation and Propagation in Type 403 Stainless Steel in Simulated Steam Cycle Environments
H.M. Shalaby, J.A. Begley, and D.D. Macdonald 262
- Critical Hydrogen Concentration for Hydrogen-Induced Cracking of Type 321 Stainless Steel
L. Qiao, W. Chu, and X. Mao 275
- An Electrochemical Model for Prediction of Corrosion of Mild Steel in Aqueous Carbon Dioxide Solutions
S. Nesic, J. Postlethwaite, and S. Olsen 280
- Chloride-Induced Stress Corrosion Cracking of Powder Metallurgy Duplex Stainless Steels
A. Laitinen and H. Hänninen 295
- Copper Corrosion in Potable Water Systems: Impacts of Natural Organic Matter and Water Treatment Processes
J.P. Rehving and M. Edwards 307

May (No. 5)

- Stress Corrosion Cracking of Silver-Gold Alloys in 1 M Potassium Chloride, Potassium Bromide, and Potassium Iodide Solutions
J.R. Galvele, I.A. Maier, and S.A. Fernández 326
- Film-Induced Brittle Intergranular Cracking of Silver-Gold Alloys
F. Friedersdorf and K. Sieradzki 331
- Stress Corrosion Cracking and Life Prediction Evaluation of Austenitic Stainless Steels in Calcium Chloride Solution
H. Leinonen 337
- Environment-Induced Deformation Localization During Transgranular Stress Corrosion Cracking
K. Lian and E.I. Meletis 347
- Localized Surface Plasticity During Stress Corrosion Cracking
D.A. Jones 356
- Mechanistic Aspects of Intergranular Stress Corrosion Cracking of Ferritic Steels
R.N. Parkins 363
- Quantitative Prediction of Environmentally Assisted Cracking
F.P. Ford 375
- Effect of Solution Composition and Electrochemical Potential on Stress Corrosion Cracking of X-52 Pipeline Steel
R.B. Rebak, Z. Xia, R. Safruddin, and Z. Szklarska-Smialowska 396

June (No. 6)

- Technical Note: Relationship Between Electrical Conductivity and Stress Corrosion Cracking Susceptibility of Al 7075 and Al 7475 Alloys
T.C. Tsai and T.H. Chuang 414
- Discussion: Evaluation of Corrosive Degradation in Coated Steel Using Alternating Current Impedance Spectroscopy
F. Mansfeld 417
- Sacrificial Anode Cathodic Polarization of Steel in Seawater: Part 1 — A Novel Experimental and Analysis Methodology
W. Wang, W.H. Hartt, and S. Chen 419

Indexes to CORROSION

Vol. 52, Nos. 1-12

Title Index

January (No. 1)

- Effect of Hydrogen on Cathodic Corrosion of Titanium Aluminide
K.-W. Gao, J.-W. Jin, L.-J. Qiao, W.-Y. Chu, and C.-M. Hsiao 3
- Microconstituent-Induced Pitting Corrosion in Aluminum Alloy 2024-T3
G.S. Chen, M. Gao, and R.P. Wei 8
- Molybdate and Nitrite as Corrosion Inhibitors for Copper-Coupled Steel in Simulated Cooling Water
C.M. Mustafa and S.M. Shahnoor Islam Dulal 16
- Effect of Manganese on Pitting Properties of Type 301L Stainless Steel
V. Mitrovic-Scepanovic and R.J. Brigham 23
- Effect of Zinc Additions on Oxide Rupture Strain and Repassivation Kinetics of Iron-Based Alloys in 288°C Water
T.M. Angelis and P.L. Andresen 28
- Influence of Nitrogen on Electrochemical Passivation of High-Nickel Stainless Steels and Thin Molybdenum-Nickel Films
G.P. Halada, D. Kim, and C.R. Clayton 36
- Improving the Corrosion Resistance of Power Metallurgy Austenitic Stainless Steels Through Infiltration
F. Velasco, J.R. Ibars, J.M. Ruiz-Román, J.M. Torralba, and J.M. Ruiz-Prieto 47
- A Nonequilibrium Approach to Development of Reference Electrodes and Oxygen Sensors for High-Temperature Aqueous Systems
V.A. Marichev 53
- Behavior of Painted Steel and Aluminum Sheet in Laboratory Automotive Corrosion Tests
H.E. Townsend 66
- Behavior of Type 316 Austenitic Stainless Steel Under Slow Strain Rate Technique Conditions in Lithium Bromide Heavy Brine Environments
D. Itzhak, O. Elias, and Y. Greenberg 72

February (No. 2)

- Surface-Enhanced Raman Scattering Spectroscopy Studies on the Inhibition Mechanism of Propargyl Alcohol for Iron Corrosion in Hydrochloric Acid
K. Aramaki and E. Fujitaka 83
- Role of Nonmetallic Inclusions in Fatigue, Pitting, and Corrosion Fatigue
Y. Wang and R. Akid 92
- Some Nonionic Surfactants as Inhibitors of the Corrosion of Iron in Acid Chloride Solutions
M. Elachouri, M.S. Hajji, M. Salem, S. Kertti, J. Aride, R. Coudert, and E. Essassi 103
- Critical Pitting Potentials for Type 304 Stainless Steel in High-Temperature Chloride Solutions
H. Yashiro, K. Tanno, S. Koshiyama, and K. Akashi 109
- Long-Term Prediction of Localized Corrosion of Alloy 825 in High-Level Nuclear Waste Repository Environments
D.S. Dunn, N. Sridhar, and G.A. Cragnolino 115
- Hydrogen Absorption in Iron Exposed to Simulated Concrete Pore Solutions
R.S. Lillard and J.R. Scully 125
- Effect of Grain-Boundary Corrosion on Impedance Characteristics of an Aluminum-Zinc-Indium Alloy in 3.5% Sodium Chloride Solution
A. Venugopal, R.D. Angal, and V.S. Raja 138
- Role of Hydrogen and Stresses in the Failure of Heat Exchanger Pipes
E. Lunarska 143
- Beneficial Role of Chloride Ions During Pickling of Steel in Sulfuric Acid
B. Gaur, T.B. Singh, and D.D.N. Singh 154

March (No. 3)

- Measurements of Corrosion at Defects in Painted Zinc and Zinc Alloy Coated Steels Using Current Density Mapping
H.S. Isaacs, A.J. Aldykiewicz Jr., D. Thierry, and T.C. Simpson 163
- Interface-Engineered Polyene C Coating for Corrosion Protection of Cold-Rolled Steel
H. Yasuda, B.H. Chun, D.L. Cho, T.J. Lin, D.J. Yang, and J.A. Antonelli 169
- N-Lauroyl Sarcosine Sodium Salt as a Corrosion Inhibitor for Type 1518 Carbon Steel in Neutral Saline Environments
A. Frignani, G. Trabacchi, C. Wrubel, and A. Mollica 177
- A New Amorphous Alloy Deposit with High Corrosion Resistance
S. Yao, S. Zhao, H. Guo, and M. Kowaka 183
- Relative Contributions of Several Cathodic Reactions to the Anodic Dissolution of Electroaluminized Steel
D.L. Jordan, L.L. Franks, and J.S. Kallend 187

- Environmental Factors in the Stress Corrosion Cracking of Type 316L Stainless Steel and Alloy 825 in Chloride Solutions
G. Cragnolino, D.S. Dunn, and N. Sridhar 194
- Instantaneous Corrosion Rate Measurement with Small-Amplitude Potential Intermodulation Techniques
R.W. Bosch and W.F. Bogaerts 204
- Effects of Thermal Spray Coating Composition and Microstructure on Coating Response and Substrate Protection at High Temperatures
S.T. Blum and A.R. Marder 213
- Application of Superconducting Magnetometry in the Study of Aircraft Aluminum Alloy Corrosion
D. Li, Y. Ma, W.F. Flanagan, B.D. Lichter, and J.P. Wikswo Jr. 219
- Role of Solution Chemistry on Corrosion of Copper in Tap Water: Effect of Sulfate Ion Concentration on Uniform and Localized Attack
M.R. Reda and J.N. Alhajji 232

April (No. 4)

- Effect of Externally Added Molybdate on Repassivation and Stress Corrosion Cracking of Type 304 Stainless Steel in Hydrochloric Acid
A. Devasenapathi and V.S. Raja 243
- Pitting Corrosion of Iron in Weakly Alkaline Chloride Solutions
G.L. Makar and D. Tromans 250
- Phenomenological Aspects of Fatigue Crack Initiation and Propagation in Type 403 Stainless Steel in Simulated Steam Cycle Environments
H.M. Shalaby, J.A. Begley, and D.D. Macdonald 262
- Critical Hydrogen Concentration for Hydrogen-Induced Cracking of Type 321 Stainless Steel
L. Qiao, W. Chu, and X. Mao 275
- An Electrochemical Model for Prediction of Corrosion of Mild Steel in Aqueous Carbon Dioxide Solutions
S. Nesic, J. Postlethwaite, and S. Olsen 280
- Chloride-Induced Stress Corrosion Cracking of Powder Metallurgy Duplex Stainless Steels
A. Laitinen and H. Hänninen 295
- Copper Corrosion in Potable Water Systems: Impacts of Natural Organic Matter and Water Treatment Processes
J.P. Rehving and M. Edwards 307

May (No. 5)

- Stress Corrosion Cracking of Silver-Gold Alloys in 1 M Potassium Chloride, Potassium Bromide, and Potassium Iodide Solutions
J.R. Galvele, I.A. Maier, and S.A. Fernández 326
- Film-Induced Brittle Intergranular Cracking of Silver-Gold Alloys
F. Friedersdorf and K. Sieradzki 331
- Stress Corrosion Cracking and Life Prediction Evaluation of Austenitic Stainless Steels in Calcium Chloride Solution
H. Leinonen 337
- Environment-Induced Deformation Localization During Transgranular Stress Corrosion Cracking
K. Lian and E.I. Meletis 347
- Localized Surface Plasticity During Stress Corrosion Cracking
D.A. Jones 356
- Mechanistic Aspects of Intergranular Stress Corrosion Cracking of Ferritic Steels
R.N. Parkins 363
- Quantitative Prediction of Environmentally Assisted Cracking
F.P. Ford 375
- Effect of Solution Composition and Electrochemical Potential on Stress Corrosion Cracking of X-52 Pipeline Steel
R.B. Rebak, Z. Xia, R. Safruddin, and Z. Szklarska-Smialowska 396

June (No. 6)

- Technical Note: Relationship Between Electrical Conductivity and Stress Corrosion Cracking Susceptibility of Al 7075 and Al 7475 Alloys
T.C. Tsai and T.H. Chuang 414
- Discussion: Evaluation of Corrosive Degradation in Coated Steel Using Alternating Current Impedance Spectroscopy
F. Mansfeld 417
- Sacrificial Anode Cathodic Polarization of Steel in Seawater: Part 1 — A Novel Experimental and Analysis Methodology
W. Wang, W.H. Hartt, and S. Chen 419

- Stress Corrosion Cracking of High-Purity Carbon Steel in Carbonate Solutions
J. Micht and D.J. Duquette 428
- Nanoscope Analysis of Aqueous Corrosion by Scanning Tunneling Microscopy
H. Masuda 435
- Corrosion Potential Behavior in High-Temperature Water of Noble Metal-Doped Alloy Coatings Deposited by Underwater Thermal Spraying
Y.-J. Kim, P.L. Andresen, D.M. Gray, Y.-C. Lau, and H.P. Offer 440
- Surface Analysis of Inhibitor Films Formed in Hydrogen Sulfide Medium
V.S. Sastri, M. Elboudairi, J.R. Brown, and J.R. Perumareddi 447
- Mechanistic Studies of Stress Corrosion Cracking: Application of the Corrosion-Assisted Cleavage Model to Results Using Oriented Single Crystals
B.D. Lichter, W.F. Flanagan, J.-S. Kim, J.C. Elkenbracht, and M. van Hunen 453
- Deformation and Cracking Behavior of Iron-Manganese-Aluminum Alloys in Sodium Chloride Solution
M. Rušćak and T.-P. Perng 464
- Laboratory Evaluation of Sacrificial Anode Materials for Cathodic Protection of Reinforced Concrete Bridges
D.A. Whiting, M.A. Nagi, and J.P. Broomfield 472
- Modeling of Underground Cathodic Protection Stray Currents
F. Brichau, J. Deconinck, and T. Driesens 480
- July (No. 7)**
- Technical Note: Application of Surface and Surface Imaging Techniques in the Study of Erosion-Corrosion in Stainless Steel
G.N. Salaita and P.H. Tate 493
- Aging of Type 316L Stainless Steel in Seawater: Relationship Between Open-Circuit Potential, Exposure Time, and Pitting Potential
C. Compère, P. Jaffré, and D. Festy 496
- Electrochemical Behavior of a Magnesium Galvanic Anode Under ASTM Test Method G 97-89 Conditions
J. Genesca, L. Betancourt, and C. Rodriguez 502
- Sprayed-Zinc Sacrificial Anodes for Reinforced Concrete in Marine Service
A.A. Sagiés and R.G. Powers 508
- Influence of Stress and pH on Susceptibility of Copper-Containing Type 304 Stainless Steels to Stress Corrosion Cracking in Sulfuric Acid
M. Asawa and D. Minoda 523
- Counterdiffusion Gaseous Diffusion Model of Oxidation Through a Porous Coating
G.R. Holcomb 531
- Effect of Microstructure on Corrosion Behavior of 9% Chromium-1% Molybdenum Steel
N. Parvathavarthini, R.K. Dayal, and J.B. Gnanamoorthy 540
- Macrocell Effects on Potential Measurements in Concrete Cathodic Protection Systems
L. Bertolini, P. Pedferri, T. Pastore, B. Bazzoni, and L. Lazzari 552
- Corrosion of Stainless Steel During Acetate Production
J.S. Qi and G.C. Lester 558
- August (No. 8)**
- Localized Corrosion in Cathodically Polarized A109 Steel in Aqueous Sodium Chloride
P. Gopalan and R. Srinivasan 574
- Morphology of Phosphate Layer Investigated by Vacuum Depositing a Polyethylene C Film
H. Yasuda, B.H. Chun, D.L. Cho, T.J. Lin, D.J. Yang, and J.A. Antonelli 584
- Critical Stress for Stress Corrosion Cracking of Duplex Stainless Steel in Sour Environments
A. Miyasaka, T. Kanamaru, and H. Ogawa 592
- Electrochemical Studies of the Corrosion Behavior of Carbon and Weathering Steels in Alternating Wet/Dry Environments with Sulfur Dioxide Gas
J.H. Wang, F.I. Wei, and H.C. Shih 600
- Characterization of Activated Titanium Solid Reference Electrodes for Corrosion Testing of Steel in Concrete
P. Castro, A.A. Sagiés, E.I. Moreno, L. Maldonado, and J. Genesca 609
- Electrochemical Corrosion Potential Models for Boiling-Water Reactor Applications
C.C. Lin, Y.J. Kim, L.W. Niedrach, and K.S. Ramp 618
- Corrosion Behavior of Binary Titanium Aluminide Intermetallics
H.M. Saffarian, Q. Gan, R. Hadkar, and G.W. Warren 626
- Stress Corrosion Cracking Susceptibility of Nickel-Molybdenum Alloys by Slow Strain Rate and Immersion Testing
M. Nakahara and T. Shoji 634
- September (No. 9)**
- Inhibiting Effect of Furfural on Corrosion of Zinc in Ethanol Solutions
L.V. das Chagas and R.S. Gonçalves 653
- Interpretation of Corrosion Potential Data from Boiling-Water Reactors Under Hydrogen Water Chemistry Conditions
D.D. Macdonald and M. Urquidí-Macdonald 659
- Application of the Kinetic-Thermodynamic Model for Inhibition of Acid Corrosion of Steel by Inhibitors Containing Sulfur and Nitrogen
B.A. Abd-El-Nabey, E. Khamis, M.Sh. Ramadan, and A. El-Gindy 671
- Hot Corrosion of Nickel-Chromium and Nickel-Chromium-Aluminum Thermal-Spray Coatings by Sodium Sulfate-Sodium Metavanadate Salt
Y. Longa-Nava, Y.S. Zhang, M. Takemoto, and R.A. Rapp 680
- Effect of Halide Ions on Electrochemical Behavior and Stress Corrosion Cracking of 67/33 α -Brass in Aqueous Environments
C.K. Lee and H.C. Shih 690
- Initiation and Propagation of Stress Corrosion Cracking of Type 304L Austenitic Stainless Steel in Hot Aqueous Chloride Solution
O. Raquet, M. Helle, and G. Santarini 697
- Electrochemical Behavior of A516 Carbon Steel in Solutions Containing Hydrogen Sulfide
H.-H. Huang, W.-T. Tsai, and J.-T. Lee 708
- Erosion-Corrosion of a Carbon Steel Elbow in a Carbon Dioxide Environment
J.R. Shadley, S.A. Shirazi, E. Dayalan, M. Ismail, and E.F. Rybicki 714
- October (No. 10)**
- Stainless Steel Pitting in Thiosulfate Solutions with Electrochemical Noise
P.R. Roberge, S. Wang, and R. Roberge 733
- Corrosion Potential Behavior of Noble Metal-Modified Alloys in High-Temperature Water
Y.-J. Kim, L.W. Niedrach, and P.L. Andresen 738
- Simulating Microbiologically Influenced Corrosion by Depositing Extracellular Biopolymers on Mild Steel Surfaces
F.L. Roe, Z. Lewandowski, and T. Funk 744
- Electrochemical Emission Spectroscopy for Monitoring Uniform and Localized Corrosion
J.F. Chen and W.F. Bogaerts 753
- Application of Breakdown Potential Distribution in Corrosion Comparisons of Stainless Steels
G. Salvago and G. Fumagalli 760
- Theoretical Estimation of Crack Growth Rates in Type 304 Stainless Steel in Boiling-Water Reactor Coolant Environments
D.D. Macdonald, P.-C. Lu, M. Urquidí-Macdonald, and T.-K. Yeh 768
- Corrosion Inhibition of Zinc Pigments in Aqueous Alkaline Media by Aromatic Hydroxy Compounds
B. Müller and I. Förster 786
- Comparative Study: Degree of Sensitization and Intergranular Stress Corrosion Cracking Susceptibility of Type 304 Stainless Steel
P. Muraleedharan, J.B. Gnanamoorthy, and P. Rodriguez 790
- Predicting Tubing Life in Annular-Flow Gas Condensate Wells Containing Carbon Dioxide
R.S. Perkins, C.S. Fang, J.D. Garber, and R.K. Singh 801
- November (No. 11)**
- 1996 W.R. Whitney Award Lecture: Statistical and Stochastic Approaches to Localized Corrosion
T. Shibata 813
- Influence of Sulfate-Reducing Bacteria on Alloy 625 and Austenitic Stainless Steel Weldments
D.G. Enos and S.R. Taylor 831
- Adsorption of Water on Gold
S. Lee and R.W. Staehle 843
- Effect of Metallic Cations on Corrosion Inhibition of an Anionic Surfactant for Mild Steel
G.N. Mu, T.P. Zhao, M. Liu, and T. Gu 853
- Effect of Temper on Seawater Corrosion of an Aluminum-Silicon Carbide Composite Alloy
Z. Ahmad and B.J. Abdul Aleem 857
- Passive State Behavior of Special Austenitic and Ferritic Stainless Steels in Phosphoric Acid Polluted by Sulfide Ions
S. El Hajjaji, L. Aries, N. Pebere, F. Dabosi, J.-P. Audouard, and A. Ben Bachir 865
- Corrosion Assessment of Regenerative Preheaters in Oil-Fired Power Plants
J. Uruchurtu, J.M. Malo, E.M. Garcia, U. Cano, L. Mariaca, and A. Martinez 872
- Corrosion Properties of Pulse-Plated Zinc-Nickel Alloy Coatings
A.M. Alfanzazi and U. Erb 880
- December (No. 12)**
- Metal Ion and Exopolymer Interaction: A Surface Analytical Study
G. Chen, S.V. Kaguade, G.E. French, T.E. Ford, R. Mitchell, and C.R. Clayton 891
- Modeling of Atmospheric Corrosion Behavior of Weathering Steel in Sulfur Dioxide-Polluted Atmospheres
J.H. Wang, F.I. Wei, and H.C. Shih 900
- Evidence for Surface Changes During Ennoblement of Type 316L Stainless Steel: Dissolved Oxidant and Capacitance Measurements
W.H. Dickinson, Z. Lewandowski, and R.D. Geer 910
- Improving Corrosion Resistance of AZ91D Magnesium Alloy by Nitrogen Ion Implantation
I. Nakatsugawa, R. Martin, and E.J. Krystautas 921

- Micromechanics of Stress Corrosion Cracking of Single-Crystal Austenitic Type 321 Stainless Steel Under Mode II Loading
L.J. Qiao, X. Mao, and J.L. Luo 927
- Characterization of Synergistic Effects Between Erosion and Corrosion in an Aqueous Environment Using Electrochemical Techniques
S. Zhou, M.M. Stack, and R.C. Newman 934

- Corrosion in an Aqueous Hydrogen Sulfide, Ammonia, and Oxygen System
H.U. Schutt and P.R. Rhodes 947
- Electrochemistry of Lead in Simulated Ground Water Environments
E.A. Joerg and O.F. Devereux 953

Author Index

A

- Abd-El-Nabey, B.A., 671
 Abdul Aleem, B.J., 857
 Ahmad, Z., 857
 Akashi, K., 109
 Akid, R., 92
 Aldykiewicz, A.J. Jr., 163
 Alfantazi, A.M., 880
 Alhajji, J.N., 232
 Andresen, P.L., 28, 440, 738
 Angal, R.D., 138
 Angellu, T.M., 28
 Antonelli, J.A., 169, 584
 Aramaki, K., 83
 Aride, J., 103
 Aries, L., 865
 Asawa, M., 523

B

- Bazzoni, B., 552
 Begley, J.A., 262
 Ben Bachir, A., 865
 Bertolini, L., 552
 Betancourt, L., 502
 Bluni, S.T., 213
 Bogaerts, W.F., 204, 753
 Bosch, R.W., 204
 Brichau, F., 480
 Brigham, R.J., 23
 Broomfield, J.P., 472
 Brown, J.R., 447

C

- Cano, U., 872
 Castro, P., 609
 Chatterjee, I., 417
 Chen, G., 891
 Chen, G.S., 8
 Chen, J.F., 753
 Chen, S., 419
 Cho, D.L., 169, 584
 Chu, W.-Y., 3, 275
 Chuang, T.H., 414
 Chun, B.H., 169, 584
 Clayton, C.R., 36, 891
 Compère, C., 496
 Coudert, R., 103
 Craggolino, G.A., 115, 194

D

- Dabosi, F., 865
 Das Chagas, L.V., 653
 Dayal, R.K., 540
 Dayalan, E., 714
 Deconinck, J., 480
 Devasenapathi, A., 243
 Devereux, O.F., 953
 Dickinson, W.H., 910
 Driesens, T., 480
 Dunn, D.S., 115, 194
 Duquette, D.J., 428

E

- Edwards, M., 307
 El Hajjaji, S., 865
 El-Gindy, A., 671
 Elachouri, M., 103
 Elboudjaini, M., 447

- Elias, O., 72
 Elkenbracht, J.C., 453
 Enos, D.G., 831
 Erb, U., 880
 Essassi, E., 103

F

- Fang, C.S., 801
 Fernández, S.A., 326
 Festy, D., 496
 Flanagan, W.F., 219, 453
 Ford, F.P., 375
 Ford, T.E., 891
 Förster, L., 786
 Franks, L.L., 187
 French, G.E., 891
 Friedersdorf, F., 331
 Frignani, A., 177
 Fujioaka, E., 83
 Fumagalli, G., 760
 Funk, T., 744

G

- Galvele, J.R., 326
 Gan, Q., 626
 Gao, K.-W., 3
 Gao, M., 8
 Garber, J.D., 801
 Garcia, E.M., 872
 Gaur, B., 154
 Geer, R.D., 910
 Genescá, J., 502, 609
 Gnanamoorthy, J.B., 540, 790
 Gonçalves, R.S., 653
 Gopalan, P., 574
 Gray, D.M., 440
 Greenberg, Y., 72
 Gu, T., 853
 Guo, H., 183

H

- Hadkar, R., 626
 Hajji, M.S., 103
 Halada, G.P., 36
 Hänninen, H., 295
 Hartt, W.H., 419
 Hélie, M., 697
 Holcomb, G.R., 531
 Hsiao, C.-M., 3
 Huang, H.-H., 708

I

- Ibars, J.R., 47
 Isaacs, H.S., 163
 Ismail, M., 714
 Itzhak, D., 72

J

- Jaffré, P., 496
 Jin, J.-W., 3
 Joerg, E.A., 953
 Jones, D.A., 356, 417
 Jordan, D.L., 187

K

- Kagwade, S.V., 891
 Kallend, J.S., 187

- Kanamaru, T., 592
 Keritt, S., 103
 Khamis, E., 671
 Kim, D., 36
 Kim, J.-S., 453
 Kim, Y.-J., 440, 618, 738
 Knystautas, E.J., 921
 Koshiyama, S., 109
 Kowaka, M., 183

L

- Laitinen, A., 295
 Lau, Y.-C., 440
 Lazzari, L., 552
 Lee, C.K., 690
 Lee, J.-T., 708
 Lee, S., 843
 Leinonen, H., 337
 Lester, G.C., 558
 Lewandowski, Z., 744, 910
 Li, D., 219
 Lian, K., 347
 Lichter, B.D., 219, 453
 Lillard, R.S., 125
 Lin, C.C., 618
 Lin, T.J., 169, 584
 Liu, M., 853
 Longa-Nava, Y., 680
 Lu, P.-C., 768
 Lunarska, E., 143
 Luo, J.L., 927

M

- Ma, Y., 219
 Macdonald, D.D., 262, 659, 768
 Maler, I.A., 326
 Makar, G.L., 250
 Maldonado, L., 609
 Malo, J.M., 872
 Mansfield, F., 417
 Mao, X., 275, 927
 Marder, A.R., 213
 Mariaca, L., 872
 Marichev, V.A., 53
 Martin, R., 921
 Martinez, A., 872
 Masuda, H., 435
 Meletis, E.L., 347
 Might, J., 428
 Minoda, D., 523
 Mitchell, R., 891
 Mitrovic-Scepanovic, V., 23
 Miyasaka, A., 592
 Mollica, A., 177
 Moreno, E.I., 609
 Mu, G.N., 853
 Müller, B., 786
 Muralidharan, P., 790
 Mustafa, C.M., 16

N

- Nagi, M.A., 472
 Nakahara, M., 634
 Nakatsugawa, I., 921
 Nescic, S., 280
 Newman, R.C., 728, 934
 Niedrach, L.W., 618, 738

O

- Offer, H.P., 440
 Ogawa, H., 592
 Olsen, S., 280

P

- Parkins, R.N., 363
 Parvathavarthini, N., 540
 Pastore, T., 552
 Pebere, N., 865
 Pedeferrì, P., 552
 Perkins, R.S., 801
 Perng, T.-P., 464
 Perumareddi, J.R., 447
 Postlethwaite, J., 280
 Powers, R.G., 508

Q

- Qi, J.S., 558
 Qiao, L.J., 275, 927
 Qiao, L.-J., 3

R

- Raja, V.S., 138, 243
 Ramdan, M.S., 671
 Ramp, K.S., 618
 Rapp, R.A., 680
 Raquet, O., 697
 Rebak, R.B., 396
 Reda, M.R., 232
 Rehling, J.P., 307
 Rhodes, P.R., 947
 Roberge, P.R., 733
 Roberge, R., 733
 Rodriguez, C., 502
 Rodriguez, P., 790
 Roe, F.L., 744
 Ruiz-Román, J.M., 47
 Rušćák, M., 464
 Rybicki, E.F., 714

S

- Saffarian, H.M., 626
 Safruddin, R., 396
 Sagüés, A.A., 508, 609
 Salaita, G.N., 493
 Salem, M., 103
 Salvago, G., 760
 Santarini, G., 697
 Sastri, V.S., 447
 Schutt, H.U., 947
 Scully, J.R., 125
 Shadley, J.R., 714
 Shahnoor, S.M. Islam Dulal, 16
 Shalaby, H.M., 262
 Shibata, T., 813
 Shih, H.C., 600, 690, 900
 Shirazi, S.A., 714
 Shoji, T., 634
 Sieradzki, K., 331
 Simpson, T.C., 163
 Singh, D.D.N., 154
 Singh, R.K., 801
 Singh, T.B., 154
 Sridhar, N., 115, 194
 Srinivasan, R., 574
 Stack, M.M., 934
 Staehle, R.W., 843

Szklarska-Smialowska, Z., 396

T

Takemoto, M., 680
 Tanno, K., 109
 Tate, P.H., 493
 Taylor, S.R., 831
 Thierry, D., 163
 Torralba, J.M., 47
 Townsend, H.E., 66
 Trabanelli, G., 177
 Tromans, D., 250
 Tsai, T.C., 414
 Tsai, W.-T., 708

U

Urquidí-Macdonald, M., 659, 768
 Uruchurtu, J., 872

V

Van Hunen, M., 453
 Velasco, F., 47
 Venugopal, A., 138

W

Wang, J.H., 600, 900
 Wang, S., 733

Wang, W., 419
 Wang, Y., 92
 Warren, G.W., 626
 Wei, D.F., 417
 Wei, F.I., 600, 900
 Wei, R.P., 8
 Whiting, D.A., 472
 Wikswo, J.P. Jr., 219
 Wrubel, C., 177

X

Xia, Z., 396

Y

Yang, D.J., 169, 584
 Yao, S., 183
 Yashiro, H., 109
 Yasuda, H., 169, 584
 Yeh, T.-K., 768

Z

Zhang, Y.S., 680
 Zhao, S., 183
 Zhao, T.P., 853
 Zhou, S., 934

Subject Index

Symbols

67/33 alpha-brass

halide ions and stress corrosion cracking, 690

A

A109 steel

localized corrosion in sodium chloride, 574

A36 carbon steel

austenitic stainless steel, influence of sulfate-reducing bacteria on weldments, 831

A516 carbon steel

electrochemical behavior in hydrogen sulfide, 708

Absorption

type 316 stainless steel, under slow strain rate in lithium bromide, 72

Acetate

stainless steel, corrosion in production, 558

Acetic acid and solutions. *See also* Acids and acid solutions

lead, in simulated ground water, 953
 stainless steel, acetate production, 558
 surface analysis, inhibitor films in hydrogen sulfide, 447

Acid corrosion. *See also* Corrosion

steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671

Acid inhibitors. *See* Acids and acid solutions; Inhibitors

Acid rain

electrogalvanized steel, cathodic reactions and anodic dissolution, 187

Acids and acid solutions. *See also* Acetic; Acid inhibitors; Carbonic; Chromic; Hydrochloric; Hydrofluoric; Nitric; Perchloric; Phosphoric; Sulfuric acids

iron, nonionic surfactants in acid chloride solutions, 103
 iron, pitting in alkaline chloride solutions, 250
 iron, surface-enhanced Raman spectroscopy of inhibition of propargyl alcohol, 83
 mild steel, molybdate and nitrite as inhibitors for copper-coupled, 16
 titanium aluminide, cathodic corrosion during hydrogen charging, 3

Acr-Ten-A steel

atmospheric corrosion in sulfur dioxide, 900

Activation energy

iron, nonionic surfactants in acid chloride solutions, 103
 reference electrodes and oxygen sensors, high-temperature aqueous systems, 53

Adhesion

cold-rolled steel, interface-engineered Parylene C coating, 169
 Parylene C film, morphology of the phosphate layer by vacuum deposition, 584

Adsorption and adsorption isotherms

gold, water adsorption, 843
 iron, nonionic surfactants, 103

iron, surface-enhanced Raman spectroscopy of inhibition of propargyl alcohol, 83
 mild steel, effect of metallic cations on inhibition of an anionic surfactant, 853
 steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671
 zinc, effect of furfural in ethanolic solutions, 653

Aerospace environments

aircraft aluminum, superconducting magnetometry, 219

Al 2024, microconstituent-induced pitting, 8
 alloy AZ91D, corrosion resistance and nitrogen ion implantation, 921
 titanium aluminide intermetallics, binary, 626

Agarose

mild steel, microbiologically influenced corrosion by extracellular biopolymers, 744

Aging

aluminum-silicon carbide alloys, effect of temperature on seawater corrosion, 857
 type 316L stainless steel, aging in seawater, 496

Al 2014

aluminum-silicon carbide alloys, effect of temperature on seawater corrosion, 857

Al 2024

aircraft aluminum, superconducting magnetometry, 219

aluminum-silicon carbide alloys, effect of temperature on seawater corrosion, 857
 pitting, microconstituent-induced, 8

Al 2036

automotive corrosion tests, 66

Al 5005

sacrificial anodes, reinforced concrete bridges, 472

Al 5182

automotive corrosion tests, 66

Al 6013

aluminum-silicon carbide alloys, effect of temperature on seawater corrosion, 857

Al 6061

aluminum-silicon carbide alloys, effect of temperature on seawater corrosion, 857

Al 6111

automotive corrosion tests, 66

Al 7075

aircraft aluminum, superconducting magnetometry, 219

Al 7475

electrical conductivity and stress corrosion cracking susceptibility, 414

Alkaline solutions and environments

iron, pitting in alkaline chloride solutions, 250
 mild steel, molybdate and nitrite as inhibitors for copper-coupled, 16
 reinforced concrete bridges, sacrificial anode materials, 472
 zinc, effect of furfural in ethanolic solutions, 653
 zinc pigments, inhibition by aromatic hydroxy compounds, 786

Alkyd coatings. *See* Coatings

Alloy 600

corrosion potential of noble metal-modified alloys in high-temperature water, 738
 metal-doped alloy coatings by underwater thermal spraying, 440
 stress corrosion cracking in hot aqueous chloride solutions, 697

Alloy 625

austenitic stainless steel, influence of sulfate-reducing bacteria on weldments, 831

Alloy 690

metal-doped alloy coatings by underwater thermal spraying, 440

Alloy 82

metal-doped alloy coatings by underwater thermal spraying, 440

Alloy 825

localized corrosion, prediction in high-level nuclear environments, 115
 stress corrosion cracking, environmental factors in nuclear waste repositories, 194

Alloy A380

corrosion resistance and nitrogen ion implantation, 921

Alloy AZ31B

sacrificial anodes for reinforced concrete bridges, 472

Alloy AZ91C

corrosion resistance and nitrogen ion implantation, 921

Alloy AZ91D

corrosion resistance and nitrogen ion implantation, 921

Alloying. *See also* Aluminum and aluminum

alloys; Amorphous alloys; Carbon and carbon alloys; Chromium and chromium alloys; Copper and copper alloys; Corrosion-resistant alloys; Dealloying; Ductility and ductile alloys; Gold and gold alloys; High-purity alloys; Indium and indium alloys; Iron and iron alloys; Lanthanum and lanthanum alloys; Magnesium and magnesium alloys; Manganese and manganese alloys; Molybdenum and molybdenum alloys; Nickel and nickel alloys; Nitrogen and nitrogen alloys; Noble alloys and metals; Palladium and palladium alloys; Phosphorus and phosphorus alloys; Platinum and platinum alloys; Silver and silver alloys; Titanium and titanium alloys; Tungsten and tungsten alloys; Two-phase alloys; Zinc and zinc alloys; Zirconium and zirconium alloys

localized corrosion, statistical and stochastic approaches, 813

stainless steel, breakdown potential, 760
 type 304 stainless steel, influence of stress and pH on stress corrosion cracking, 523

- types 316L and 304L stainless steel, infiltration and corrosion resistance, 47
- Allyl alcohol**
iron, surface-enhanced Raman spectroscopy of inhibition of propargyl alcohol, 83
- Alternating current. See also Current**
aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138
coated steel, evaluation using alternating current impedance spectroscopy, 417
corrosion rate, small-amplitude potential intermodulation technique, 204
reference electrodes and oxygen sensors, high-temperature aqueous systems, 53
- Alternating current impedance spectroscopy**
alloy AZ91D, corrosion resistance and nitrogen ion implantation, 921
coated steel, evaluation using, 417
- Alum**
copper, in potable water systems and natural organic matter, 307
- Alumina**
coatings, countercurrent gaseous diffusion model of oxidation through porous, 531
- Aluminum and aluminum alloys. See also Alloying**
Al 2024, microconstituent-induced pitting, 8
Al 2036, Al 5182, and Al 6111, automotive corrosion tests, 66
aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138
electrical conductivity and stress corrosion cracking susceptibility, 414
Fe-Mn-Al alloys, deformation and cracking, 464
reinforced concrete bridges, sacrificial anode materials, 472
titanium aluminide intermetallics, binary, 626
zinc and zinc alloy coated steels, current density mapping, 163
zinc pigments, inhibition in alkaline media by aromatic hydroxy compounds, 786
- Ammonia and ammonia solutions**
carbon steel, in hydrogen sulfide, ammonia, oxygen systems, 947
transgranular stress corrosion cracking and corrosion-assisted cleavage model, 453
- Ammonium carbonate and solutions**
carbon steel, stress corrosion cracking in carbonate solutions, 428
- Amorphous alloys. See also Alloying**
tungsten and corrosion resistance, 183
- Anaerobic environments**
type 304 stainless steel, metal ion and exopolymer interaction, 891
- Anion**
steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671
- Annealing**
aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
effect of microstructure on 9% chromium-1% molybdenum steel, 540
nickel-molybdenum alloys, stress corrosion susceptibility, 634
- Annular flow. See Flow**
- Anodes**
aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138
magnesium, electrochemical behavior under ASTM G 97-89, 502
reference electrodes, activated titanium, 609
reinforced concrete bridges, sacrificial anode materials, 472
sprayed-zinc sacrificial anodes for reinforced concrete in marine service, 508
structural steel, sacrificial anodes for aluminum in seawater, 419
- Anodic current. See also Current**
type 304 stainless steel, effect of molybdate on repassivation and stress corrosion cracking, 243
- Anodic dissolution. See also Dissolution**
austenitic stainless steel, nitrogen and electrochemical passivation, 36
electroalvanized steel, contribution of cathodic reactions, 187
localized surface plasticity during stress corrosion cracking, 356
mild steel, electrochemical model for corrosion in carbon dioxide, 280
titanium aluminide, cathodic corrosion during hydrogen charging, 3
transgranular stress corrosion cracking, environment-induced deformation localization, 347
type 304 stainless steel, effect of molybdate on repassivation and stress corrosion cracking, 243
- Anodic polarization. See also Polarization**
titanium aluminide intermetallics, binary, 626
type 316 stainless steel under slow strain rate in lithium bromide, 72
- API-2H steel**
sacrificial anodes for cathodic protection in seawater, 419
- Aqueous corrosion. See also Corrosion**
effect of microstructure on 9% chromium-1% molybdenum steel, 540
- Aqueous solutions and environments. See also Marine corrosion; Salt water and solutions**
Al 109 steel, localized corrosion of cathodically polarized in sodium chloride, 574
Al 2024, microconstituent-induced pitting, 8
alpha brass, effect of halide ions on stress corrosion cracking, 690
carbon steel, in hydrogen sulfide, ammonia, oxygen systems, 947
corrosion rate, small-amplitude potential intermodulation technique, 204
environmentally assisted cracking, prediction, 375
iron, nonionic surfactants in acid chloride solutions, 103
mild steel, electrochemical model for corrosion in carbon dioxide, 280
mild steel, molybdate and nitrite as inhibitors for copper-coupled, 16
reference electrodes, for high-temperature aqueous systems, 53
stainless steel, acetate production, 558
surface analysis, inhibitor films in hydrogen sulfide, 447
synergism between erosion and corrosion, 934
titanium aluminide, cathodic corrosion during hydrogen charging, 3
type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177
type 301L stainless steel, manganese and pitting, 23
type 304 stainless steel, electrochemical potentiokinetic reactivation test and IGSCC susceptibility, 790
type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733
type 304L stainless steel, zinc additions and oxide rupture strain and repassivation, 28
type 403 stainless steel, fatigue cracking in steam cycle environments, 262
zinc pigments, inhibition in alkaline media by aromatic hydroxy compounds, 786
- Arsenic oxide. See also Films and film formation; Oxides and oxide films**
effect of microstructure on 9% chromium-1% molybdenum steel, 540
- ASTM B 117-81**
zinc-nickel alloy coatings, pulse-plated, 880
- ASTM G 5-82**
zinc-nickel alloy coatings, pulse-plated, 880
- ASTM G 97-89**
magnesium galvanic anode, electrochemical behavior, 502
- Atmospheric corrosion. See also Corrosion**
carbon and weathering steel, in wet/dry environments, 600
coated steel, evaluation using alternating current impedance spectroscopy, 417
gold, water adsorption, 843
weathering steel, modeling of atmospheric corrosion in sulfur dioxide, 900
- Atomic bond weakening**
localized surface plasticity during stress corrosion cracking, 356
- Auger electron spectroscopy**
iron, hydrogen absorption in simulated concrete pore solutions, 125
- Austenite**
Fe-Mn-Al alloys, deformation and cracking, 464
- Austenitic stainless steel. See also By type; By UNS number; Stainless steel; Steel**
alloy 625 weldments, influence of sulfate-reducing bacteria, 831
environmentally assisted cracking, prediction, 375
nitrogen and electrochemical passivation, 36
passive behavior in phosphoric acid, 865
stress corrosion cracking in calcium chloride, 337
type 304 stainless steel, metal ion and exopolymer interaction, 891
type 304 stainless steel, electrochemical potentiokinetic reactivation test and IGSCC susceptibility, 790
type 316 stainless steel, slow strain rate in lithium bromide, 72
type 321 stainless steel, hydrogen-induced fracture, 275
type 321 stainless steel, stress corrosion cracking under Mode II loading, 927
types 316L and 304L stainless steel, infiltration and corrosion resistance, 47
- Automotive applications**
Al 2036, Al 5182, Al 6111, cold-rolled and electroalvanized steel, 66
alloy AZ91D, corrosion resistance and nitrogen ion implantation, 921
electroalvanized steel, contribution of cathodic reactions to anodic dissolution, 187
Parylene C film, morphology of the phosphate layer by vacuum deposition, 584
zinc and zinc alloy coated steels, current density mapping, 163
zinc, effect of furfural in ethanolic solutions, 653
- B**
- Bending**
X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396
- Bent-beam testing**
duplex stainless steel, critical stress in sour environments, 592
- Bicarbonate and bicarbonate solutions**
copper, effect of sulfate on uniform and localized attack, 232
X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396
- Biofilms. See also Films and film formation**
type 304 stainless steel, metal ion and exopolymer interaction, 891
- Biofouling**
type 316L stainless steel, ennoblement, 910
- Biomedical applications**
cold-rolled steel, Interface-engineered Parylene C coating, 169
- Biopolymers. See also Polymers**
mild steel, microbiologically influenced corrosion by extracellular biopolymers, 744
- Blistering**
15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143
- Biuni, S.T., 213**
- Bollers**
thermal spray coatings, composition and microstructure in high temperatures, 213
- Boiling water reactors. See also Reactors**
alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194

- environmentally assisted cracking, prediction, 375
metal-doped alloy coatings by underwater thermal spraying, 440
modeling of electrochemical corrosion potential, 618
noble metal-modified alloys, corrosion potential in high-temperature water, 738
type 304L stainless steel, oxide rupture strain and repassivation kinetics, 28
- Bonding**
austenitic stainless steel, nitrogen and electrochemical passivation, 36
- Borate and borate solutions**
iron, pitting in alkaline chloride solutions, 250
- Brass**
67/33 alpha brass, effect of halide ions on stress corrosion cracking, 690
transgranular stress corrosion cracking, environment-induced deformation localization, 347
transgranular stress corrosion cracking and corrosion-assisted cleavage model, 453
- Breakdown potential. See also Potential**
iron, pitting in alkaline chloride solutions, 250
stainless steel, breakdown potential, 760
- Bridges**
reinforced concrete bridges, sacrificial anode materials, 472
sprayed-zinc sacrificial anodes for reinforced concrete in marine service, 508
- Brines. See Salt water and solutions**
- Bromides**
alpha brass, effect of halide ions on stress corrosion cracking, 690
- Bronze**
types 316L and 304L stainless steel, infiltration and corrosion resistance, 47
- Butanol**
stainless steel, acetate production, 558
- Butyl acetate**
stainless steel, acetate production, 558
- C**
- Cables**
lead, in simulated ground water, 953
- Calcareous deposits**
steel, sacrificial anode cathodic polarization in seawater, 419
- Calcium alginate**
mild steel, microbiologically influenced corrosion by extracellular biopolymers, 744
- Calcium chloride and solutions**
austenitic stainless steel, stress corrosion cracking, 337
- Calcium hydroxide and solutions**
iron, hydrogen absorption in simulated concrete pore solutions, 125
reference electrodes, activated titanium, 609
- Calcium sulfate and solutions**
magnesium galvanic anode, electrochemical behavior under ASTM G 97-89, 502
- Capacitance**
magnesium galvanic anode, electrochemical behavior under ASTM G 97-89, 502
reference electrodes, activated titanium, 609
type 316L stainless steel, ennoblement, 910
- Carbon and carbon alloys. See also Alloying**
coatings, countercurrent gaseous diffusion model of oxidation through porous, 531
- Carbon dioxide and solutions**
carbon steel, erosion-corrosion in carbon dioxide, 714
coatings, countercurrent gaseous diffusion model of oxidation through porous, 531
mild steel, electrochemical model, 280
tubing life, prediction in annular flow gas condensate wells with carbon dioxide, 801
- Carbon dioxide corrosion. See also Corrosion**
mild steel, electrochemical model, 280
- Carbon steel. See also By type; By UNS number; Steel**
electrochemical studies in wet/dry environments with sulfur dioxide, 600
erosion-corrosion in carbon dioxide, 714
high-purity, stress corrosion cracking in carbonate solutions, 428
in hydrogen sulfide, ammonia, oxygen systems, 947
mild steel, role of chloride ions during pickling, 154
mild steel, electrochemical model for corrosion in carbon dioxide, 280
tubing life, prediction in annular flow gas condensate wells with carbon dioxide, 801
weathering steel, modeling of atmospheric corrosion in sulfur dioxide, 900
X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396
- Carbonate and carbonate solutions**
carbon steel, stress corrosion cracking, 428
ferritic steel, intergranular stress corrosion cracking, 363
synergism between erosion and corrosion in aqueous environments, 934
- Carbonic acid and solutions. See also Acids and acid solutions**
mild steel, electrochemical model for corrosion in carbon dioxide, 280
- Cathodic corrosion. See also Corrosion**
titanium aluminide, hydrogen charging in acidic solutions, 3
- Cathodic current. See also Current**
reference electrodes, for high-temperature aqueous systems, 53
- Cathodic depolarizer**
type 316L stainless steel, ennoblement, 910
- Cathodic polarization. See also Polarization**
A109 steel, localized corrosion in aqueous sodium chloride, 574
steel, sacrificial anode cathodic polarization in seawater, 419
titanium aluminide, cathodic corrosion during hydrogen charging, 3
- Cathodic protection**
aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138
concrete, macrocell effects on potential measurement, 552
iron, hydrogen absorption in simulated concrete pore solutions, 125
modeling, underground stray currents, 480
reinforced concrete bridges, sacrificial anode materials, 472
sprayed-zinc sacrificial anodes for reinforced concrete in marine service, 508
structural steel in seawater, analysis methodology, 419
- Cations**
mild steel, effect of metallic cations on inhibition of an anionic surfactant, 853
steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671
- Charge transfer**
magnesium galvanic anode, electrochemical behavior under ASTM G 97-89, 502
- Charging current. See also Current**
type 321 stainless steel, hydrogen-induced fracture, 275
- Chemical analysis**
15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143
- Chemical processing and applications**
effect of microstructure on 9% chromium-1% molybdenum steel, 540
nickel-molybdenum alloys, stress corrosion susceptibility, 634
type 321 stainless steel, stress corrosion cracking under Mode II loading, 927
- Chemical vapor deposition**
coatings, countercurrent gaseous diffusion model of oxidation through porous, 531
- Chloride and chloride solutions**
A516 carbon steel, electrochemical behavior in hydrogen sulfide, 708
Al 2024, microconstituent-induced pitting, 8
- alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194
alloy 825, prediction of localized corrosion in nuclear environments, 115
alloy AZ91D, corrosion resistance and nitrogen ion implantation, 921
alpha brass, effect of halide ions on stress corrosion cracking, 690
concrete, macrocell effects on potential measurement in cathodic protection systems, 552
copper, corrosion in potable water systems and natural organic matter, 307
effect of microstructure on 9% chromium-1% molybdenum steel, 540
electrogalvanized steel, contribution of cathodic reactions to anodic dissolution, 187
iron, hydrogen absorption in simulated concrete pore solutions, 125
iron, nonionic surfactants in acid chloride solutions, 103
iron, pitting in alkaline, 250
lead, in simulated ground water, 953
mild steel, role of chloride ions during pickling, 154
passive behavior of austenitic and ferritic stainless steel in phosphoric acid, 865
reinforced concrete bridges, sacrificial anode materials, 472
sprayed-zinc sacrificial anodes for reinforced concrete in marine service, 508
stainless steel, surface imaging techniques in erosion-corrosion, 493
titanium aluminide intermetallics, binary, 626
type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177
type 301L stainless steel, manganese and pitting, 23
type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733
type 321 stainless steel, stress corrosion cracking under Mode II loading, 927
type 403 stainless steel, fatigue cracking in steam cycle environments, 262
zinc and zinc alloy coated steels, current density mapping, 163
- Chromic acid and solutions. See also Acids and acid solutions**
nickel-molybdenum alloys, stress corrosion susceptibility, 634
- Chromium and chromium alloys. See also Alloying**
austenitic stainless steel, nitrogen and electrochemical passivation, 36
effect of microstructure on 9% chromium-1% molybdenum steel, 540
passive behavior of austenitic and ferritic stainless steel in phosphoric acid, 865
type 301L stainless steel, manganese and pitting, 23
type 304 stainless steel, metal ion and copolymer interaction, 891
type 316L stainless steel, aging in seawater, 496
- Chromium depletion**
type 304 stainless steel, electrochemical potentiokinetic reactivation test and IGSCC susceptibility, 790
- Clarke's solution**
ferritic steel, intergranular stress corrosion cracking, 363
- Cleavage**
localized surface plasticity during stress corrosion cracking, 356
silver-gold alloys, film-induced brittle intergranular cracking, 331
transgranular stress corrosion cracking, environment-induced deformation localization, 347
transgranular stress corrosion cracking and corrosion-assisted cleavage model, 453
- Coagulation**
copper, in potable water systems and natural organic matter, 307

Coalescence

Al 2024, microconstituent-induced pitting, 8
type 316 stainless steel, slow strain rate in lithium bromide, 72

Coatings. See also Paint; Thermal spray

Al 2036, Al 5182, Al 6111, cold-rolled and electrogalvanized steel in automotive corrosion, 66
coated steel, evaluation using alternating current impedance spectroscopy, 417
cold-rolled steel, interface-engineered Parylene C coating, 169
countercurrent gaseous diffusion model of oxidation through porous, 531
electrogalvanized steel, contribution of cathodic reactions to anodic dissolution, 187
Parylene C film, morphology of the phosphate layer by vacuum deposition, 584
zinc and zinc alloy coated steels, current density mapping, 163
zinc-nickel alloy coatings, pulse-plated, 880

Cold work

alloy 825, prediction of localized corrosion in nuclear environments, 115
duplex stainless steel, critical stress in sour environments, 592
X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396

Cold-rolled steel. See also Steel

electrogalvanized steel, contribution of cathodic reactions to anodic dissolution, 187
interface-engineered Parylene C coating, 169
Parylene C film, morphology of the phosphate layer by vacuum deposition, 584

Concrete. See also Reinforced concrete

iron, hydrogen absorption in simulated concrete pore solutions, 125
reference electrodes, activated titanium, corrosion testing of steel in, 609

Condensation

oil-fired power plants, corrosion assessment of regenerative preheaters, 872

Constant deflection testing

alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194

Constant extension rate testing

X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396

Constant load and testing. See also Loading

austenitic stainless steel, stress corrosion cracking in calcium chloride, 337
duplex stainless steel, critical stress in sour environments, 592
transgranular stress corrosion cracking and corrosion-assisted cleavage model, 453
type 304 stainless steel, influence of stress and pH on stress corrosion cracking, 523
X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396

Constant phase element

reference electrodes, activated titanium, 609

Constant strain testing

duplex stainless steel, critical stress in sour environments, 592

Constituent particles

Al 2024, microconstituent-induced pitting, 8

Containers

alloy 825, prediction of localized corrosion in nuclear environments, 115

Cooling water. See Water and water chemistry**Copper and copper alloys. See also Alloying**

Al 2024, microconstituent-induced pitting, 8
aqueous corrosion, nanoscopic analysis by scanning tunneling microscopy, 435
gold, water adsorption, 843
in potable water systems and natural organic matter, 307
mild steel, effect of metallic cations on inhibition of an anionic surfactant, 853
mild steel, molybdate and nitrite as inhibitors for in cooling water, 16
passive behavior of austenitic and ferritic stainless steel in phosphoric acid, 865

sulfate, effect on uniform and localized attack, 232

transgranular stress corrosion cracking and corrosion-assisted cleavage model, 453

type 304 stainless steel, influence of stress and pH on stress corrosion cracking, 523

types 316L and 304L stainless steel, infiltration and corrosion resistance, 47

Copper sulfate and solutions

stainless steel, acetate production, 558

Corrosion. See Acid; Aqueous; Atmospheric; Carbon dioxide; Cathodic; Cosmetic; Cracking; Crevices and crevice; Erosion-corrosion; Fatigue; Fracture and fracture testing; Galvanic; General; Grain-boundary; High-temperature; Intergranular corrosion and cracking; Localized; Marine; Microbiologically influenced; Micro-corrosion; Pitting; Transgranular corrosion and cracking; Underfilm; Underground; Uniform**Corrosion admittance**

localized and uniform corrosion, electrochemical emission spectroscopy, 753

Corrosion behavior

Al 2036, Al 5182, Al 6111, cold-rolled and electrogalvanized steel in automotive corrosion, 66

aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138
austenitic stainless steel, nitrogen and electrochemical passivation, 36

carbon and weathering steel, electrochemical studies in wet/dry environments, 600
cold-rolled steel, interface-engineered Parylene C coating, 169

copper, nanoscopic analysis of aqueous corrosion by scanning tunneling microscopy, 435

iron, nonionic surfactants in acid chloride solutions, 103

silver-gold alloys, film-induced brittle intergranular cracking, 331

titanium aluminide intermetallics, binary, 626
type 316 stainless steel, slow strain rate in lithium bromide, 72

Corrosion chimneys

aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857

Corrosion fatigue. See Fatigue**Corrosion monitoring**

Corrosion rate, small-amplitude potential intermodulation technique, 204
localized and uniform corrosion, electrochemical emission spectroscopy, 753
oil-fired power plants, corrosion assessment of regenerative preheaters, 872

Corrosion potential. See also Potential

Al 109 steel, localized corrosion of cathodically polarized in aqueous sodium chloride, 574
alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194

behavior of noble metal-modified alloys in high-temperature water, 738

boiling water reactors, interpretation of ECP data under hydrogen water chemistry conditions, 659

metal-doped alloy coatings by underwater thermal spraying, 440

mild steel, microbiologically influenced corrosion by extracellular biopolymers, 744
modeling for boiling water reactor applications, 618

type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733
type 403 stainless steel, fatigue cracking in steam cycle environments, 262

X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396

Corrosion probe

oil-fired power plants, corrosion assessment of regenerative preheaters, 872

Corrosion rate

Al 109 steel, localized corrosion of cathodically polarized in aqueous sodium chloride, 574
aircraft aluminum, superconducting magnetometry, 219

alloy A291D, corrosion resistance and nitrogen ion implantation, 921

aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857

amorphous alloys, tungsten content, 183

carbon steel, erosion-corrosion in carbon dioxide, 714

carbon steel, in hydrogen sulfide, ammonia, oxygen systems, 947

copper, effect of sulfate on uniform and localized attack, 232

copper, in potable water systems and natural organic matter, 307

copper, nanoscopic analysis of aqueous corrosion by scanning tunneling microscopy, 435

effect of microstructure on 9% chromium-1% molybdenum steel, 540

electrogalvanized steel, contribution of cathodic reactions to anodic dissolution, 187

gold, water adsorption, 843

localized and uniform corrosion, electrochemical emission spectroscopy, 753

mild steel, role of chloride ions during pickling, 154

mild steel, molybdate and nitrite as inhibitors for copper-coupled, 16

mild steel, microbiologically influenced corrosion by extracellular biopolymers, 744

passive behavior of austenitic and ferritic stainless steel in phosphoric acid, 865

small-amplitude potential intermodulation technique, 204

stainless steel, acetate production, 558

steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671

synergism between erosion and corrosion in aqueous environments, 934

thermal spray coatings, composition and microstructure in high temperatures, 213

type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177

type 304 stainless steel, influence of stress and pH on stress corrosion cracking, 523

types 316L and 304L stainless steel, infiltration and corrosion resistance, 47

Corrosion resistance. See also Resistance

Al 2036, Al 5182, Al 6111, cold-rolled and electrogalvanized steel in automotive corrosion, 66

alloy A291D, improvement by nitrogen ion implantation, 921

aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857

amorphous alloys, tungsten content, 183

duplex stainless steel, critical stress in sour environments, 592

lead, in simulated ground water, 953

Parylene C film, morphology of the phosphate layer by vacuum deposition, 584

stainless steel, acetate production, 558

thermal spray coatings, composition and microstructure in high temperatures, 213

type 304 stainless steel, metal ion and exopolymer interaction, 891

type 304 stainless steel, effect of molybdate on repassivation and stress corrosion cracking, 243

type 316L stainless steel, aging in seawater, 496

types 316L and 304L stainless steel, infiltration and, 47

weathering steel, modeling of atmospheric corrosion in sulfur dioxide, 900

zinc-nickel alloy coatings, pulse-plated, 880

Corrosion science

localized corrosion, statistical and stochastic approaches, 813

Corrosion-resistant alloys. See also Alloying

duplex stainless steel, critical stress in sour environments, 592

CORTEN steel. See also Steel

corrosion assessment of regenerative preheaters in oil-fired power plants, 872

Cosmetic corrosion. See also Corrosion

Al 2036, Al 5182, Al 6111, cold-rolled and electrogalvanized steel in automotive corrosion, 66

electrogalvanized steel, contribution of cathodic reactions to anodic dissolution, 187

Countercurrent. See also Current

coatings, countercurrent gaseous diffusion model of oxidation through porous, 531

Couples. See Galvanic couples**Coupons**

stainless steel, acetate production, 558

Crack growth rate. See also Cracking

type 304L stainless steel, zinc additions and oxide rupture strain and repassivation, 28

Crack morphology. See also Cracking; Morphology

type 403 stainless steel, fatigue cracking in steam cycle environments, 262

Crack velocity. See Velocity**Cracking. See Corrosion; Crack growth rate; Crack morphology; Environmentally assisted cracking; Fatigue; Film-induced; Fracture and fracture testing; Intergranular corrosion and cracking; Microcracking; Stress corrosion; Transgranular corrosion and cracking****Creep and creep dislocation. See also Dislocation**

Al 2036, Al 5182, Al 6111, cold-rolled and electrogalvanized steel in automotive corrosion, 66

austenitic stainless steel, stress corrosion cracking in calcium chloride, 337

localized surface plasticity during stress corrosion cracking and, 356

Crevice and crevice corrosion. See also Corrosion

Al 2036, Al 5182, Al 6111, cold-rolled and electrogalvanized steel in automotive corrosion, 66

alloy 825, prediction of localized corrosion in nuclear environments, 115

iron, pitting in alkaline chloride solutions, 250

stainless steel, breakdown potential, 760

type 304 stainless steel, effect of molybdate on repassivation and stress corrosion cracking, 243

type 304 stainless steel, influence of stress and pH on stress corrosion cracking, 523

Critical pitting potential. See Pitting potential**Crystals**

transgranular stress corrosion cracking and corrosion-assisted cleavage model, 453

Cumulative breakdown frequency

stainless steel, breakdown potential, 760

Current. See also Alternating; Anodic; Cathodic; Charging; Countercurrent; Direct; Hydrogen exchange; Impressed; Stray**Current density**

Al 09 steel, localized corrosion of cathodically polarized in aqueous sodium chloride, 574

copper, nanoscopic analysis of aqueous corrosion by scanning tunneling microscopy, 435

effect of microstructure on 9% chromium-1% molybdenum steel, 540

mild steel, electrochemical model for corrosion in carbon dioxide, 280

steel, sacrificial anode cathodic polarization in seawater, 419

zinc and zinc alloy coated steels, mapping to measure corrosion at defects, 163

Current efficiency

aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138

Cyclic potentiodynamic pitting scans

lead, in simulated ground water, 953

Cyclic testing

Al 2036, Al 5182, Al 6111, cold-rolled and electrogalvanized steel in automotive corrosion, 66

reference electrodes, activated titanium, 609

weathering steel, modeling of atmospheric corrosion in sulfur dioxide, 900

D**Deaeration**

reference electrodes, activated titanium, 609

Dealloying. See also Alloying

alpha brass, effect of halide ions on stress corrosion cracking, 690

silver-gold alloys, film-induced brittle intergranular cracking, 331

Decarburization

15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143

Defects

electrogalvanized steel, contribution of cathodic reactions to anodic dissolution, 187

zinc and zinc alloy coated steels, current density mapping, 163

Deformation

Fe-Mn-Al alloys, deformation and cracking, 464

transgranular stress corrosion cracking, environment-induced deformation localization, 347

Degradation

15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143

coated steel, evaluation using alternating current impedance spectroscopy, 417

Delamination

cold-rolled steel, interface-engineered Parylene C coating, 169

electrogalvanized steel, contribution of cathodic reactions to anodic dissolution, 187

Parylene C film, morphology of the phosphate layer by vacuum deposition, 584

Deleza marina

type 304 stainless steel, metal ion and exopolymer interaction, 891

Desalination

aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857

Devanathan-Stachurski method

iron, hydrogen absorption in simulated concrete pore solutions, 125

Differential aeration cell

mild steel, microbiologically influenced corrosion by extracellular biopolymers, 744

Diffusion

coatings, countercurrent gaseous diffusion model of oxidation through porous, 531

thermal spray coatings, composition and microstructure in high temperatures, 213

type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177

type 321 stainless steel, hydrogen-induced fracture, 275

Direct current. See also Current

corrosion rate, small-amplitude potential intermodulation technique, 204

Dislocation. See also Creep and creep dislocation

transgranular stress corrosion cracking, environment-induced deformation localization, 347

type 321 stainless steel, stress corrosion cracking under Mode II loading, 927

Dissolution. See also Anodic; Galvanostatic; Localized; Selective; Slip

Al 2024, microconstituent-induced pitting, 8

alpha brass, effect of halide ions on stress corrosion cracking, 690

ferritic steels, intergranular stress corrosion cracking, 363

high-strength steel, nonmetallic inclusions, 92

mild steel, role of chloride ions during pickling, 154

Parylene C film, morphology of the phosphate layer by vacuum deposition, 584

stainless steel, breakdown potential, 760

type 321 stainless steel, stress corrosion cracking under Mode II loading, 927

X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396

zinc-nickel alloy coatings, corrosion properties of pulse-plated, 880

Dissolved hydrogen. See Hydrogen**Dissolved oxygen. See Oxygen****Distillation**

carbon steel, corrosion in hydrogen sulfide, ammonia, oxygen systems, 947

stainless steel, acetate production, 558

Drift

copper, nanoscopic analysis of aqueous corrosion by scanning tunneling microscopy, 435

Drinking water. See Water and water chemistry**Ductility and ductile alloys. See also Alloying**

environmentally assisted cracking, prediction, 375

type 321 stainless steel, hydrogen-induced fracture, 275

Duplex stainless steel. See also Stainless steel

critical stress in sour environments, 592

E**E7018 stainless steel**

alloy 625 and austenitic stainless steel, influence of sulfate-reducing bacteria on weldments, 831

Elasticity

aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857

Electrical conductivity

aluminum alloys, stress corrosion cracking susceptibility, 414

Electrochemical behavior

alpha brass, effect of halide ions on stress corrosion cracking, 690

Electrochemical cell

weathering steel, modeling of atmospheric corrosion in sulfur dioxide, 900

Electrochemical corrosion potential. See Corrosion potential; Potential**Electrochemical emission spectroscopy**

localized and uniform corrosion, 753

Electrochemical impedance. See Impedance

alloy AZ91D, corrosion resistance and nitrogen ion implantation, 921

Electrochemical impedance spectroscopy

A516 carbon steel, electrochemical behavior in hydrogen sulfide, 708

alloy 625 and austenitic stainless steel, influence of sulfate-reducing bacteria on weldments, 831

aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138

corrosion rate, small-amplitude potential intermodulation technique, 204

magnesium galvanic anode, electrochemical behavior under ASTM G 97-89, 502

reference electrodes, activated titanium, 609

type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177

Electrochemical measurements

ferritic steel, intergranular stress corrosion cracking, 363

Electrochemical noise

localized and uniform corrosion, electrochemical emission spectroscopy, 753

oil-fired power plants, corrosion assessment of regenerative preheaters, 872

type 304 stainless steel, pitting in thiosulfate solutions, 733

Electrochemical potential. See Corrosion potential; Potential

Electrochemical potentiokinetic reactivation test

- type 304 stainless steel, electrochemical potentiokinetic reactivation test and IGSCC susceptibility, 790
- types 316L and 304L stainless steel, infiltration and corrosion resistance, 47

Electrochemical testing

- alloy A291D, corrosion resistance and nitrogen ion implantation, 921
- oil-fired power plants, corrosion assessment of regenerative preheaters, 872
- passive behavior of austenitic and ferritic stainless steel in phosphoric acid, 865
- synergism between erosion and corrosion in aqueous environments, 934
- transgranular stress corrosion cracking, environment-induced deformation localization, 347
- type 304 stainless steel, effect of molybdate on repassivation and stress corrosion cracking, 243
- X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396
- zinc, effect of furfural in ethanolic solutions, 653

Electrochemistry

- zinc-nickel alloy coatings, pulse-plated, 880

Electrode. See Hydrogen; Microelectrode; Reference; Rotating cylinder; Scanning vibrating; Scratching**Electrode position**

- copper, nanoscopic analysis of aqueous corrosion by scanning tunneling microscopy, 435

Electrode potential. See also Potential

- silver-gold alloys, stress corrosion cracking in potassium bromide, chloride, and iodide, 326

Electrodeposition

- amorphous alloys, tungsten content, 183

Electrodeposited steel. See Galvanized steel; Steel**Electron spectroscopy for chemical analysis**

- passive behavior of austenitic and ferritic stainless steel in phosphoric acid, 865
- type 304 stainless steel, effect of molybdate on repassivation and stress corrosion cracking, 243

Electron spin resonance

- type 304 stainless steel, metal ion and exopolymer interaction, 891

Electron applications

- alloy A291D, corrosion resistance and nitrogen ion implantation, 921
- cold-rolled steel, interface-engineered Parylene C coating, 169

Electroplating. See Coatings**Elongation**

- austenitic stainless steel, stress corrosion cracking in calcium chloride, 337
- type 316 stainless steel, slow strain rate in lithium bromide, 72
- type 321 stainless steel, hydrogen-induced fracture, 275

Embrittlement. See also Hydrogen embrittlement

- transgranular stress corrosion cracking, environment-induced deformation localization, 347
- type 316 stainless steel, slow strain rate in lithium bromide, 72

Energy dispersive x-ray analysis

- lead, in simulated ground water, 953

Energy dispersive x-ray spectroscopy

- aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
- stainless steel, surface imaging techniques in erosion-corrosion, 493
- zinc-nickel alloy coatings, pulse-plated, 880

Ennoblement

- type 316L stainless steel, ennoblement, 910

Environment and parameters

- environmentally assisted cracking, prediction, 375

- ferritic steels, intergranular stress corrosion cracking, 363

Environmentally assisted cracking. See also Cracking

- electrochemical corrosion potential, boiling water reactors in hydrogen water chemistries, 659
- Fe-Mn-Al alloys, deformation and cracking, 464
- prediction, 375
- type 403 stainless steel, fatigue cracking in steam cycle environments, 262

Epoxy coatings. See Coatings**Equivalent circuit**

- carbon and weathering steel, in wet/dry environments, 600

Erosion-corrosion. See also Corrosion

- carbon steel, erosion-corrosion in carbon dioxide, 714
- copper, effect of sulfate on uniform and localized attack, 232
- stainless steel, surface imaging techniques, 493
- synergism between erosion and corrosion in aqueous environments, 934

Esterification

- stainless steel, acetate production, 558

Etching

- A109 steel, localized corrosion of cathodically polarized in aqueous sodium chloride, 574
- type 403 stainless steel, fatigue cracking in steam cycle environments, 262

Ethanol and solutions

- zinc, effect of furfural in, 653

Ethylene glycol monobutyl ether

- stainless steel, acetate production, 558

Evans reaction

- electrogalvanized steel, contribution of cathodic reactions to anodic dissolution, 187

Exopolymers

- type 304 stainless steel, metal ion and exopolymer interaction, 891

Extreme-value distribution

- localized corrosion, statistical and stochastic approaches, 813

F**Fabrication**

- aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857

Fatigue. See also Corrosion; Cracking; Fracture and fracture testing

- carbon steel, stress corrosion cracking in carbonate solutions, 428
- environmentally assisted cracking, prediction, 375
- high-strength steel, nonmetallic inclusions, 92
- type 403 stainless steel, fatigue cracking in steam cycle environments, 262

Feedwater. See Water and water chemistry**Ferric chloride and solutions**

- copper, in potable water systems and natural organic matter, 307

Ferrite

- Fe-Mn-Al alloys, deformation and cracking, 464

Ferritic steel. See also Steel

- mechanistic aspects of intergranular stress corrosion cracking, 363
- passive behavior in phosphoric acid, 865

Ferrous sulfate

- mild steel, role of chloride ions during pickling, 154

Field emission scanning electron microscopy

- stainless steel, surface imaging techniques in erosion-corrosion, 493

Filiform corrosion

- alloy A291D, corrosion resistance and nitrogen ion implantation, 921

Film-induced cracking. See also Cracking

- silver-gold alloys, film-induced brittle intergranular cracking, 331

Films and film formation. See also Biofilms, Oxides and oxide films; Thin films

- A516 carbon steel, electrochemical behavior in hydrogen sulfide, 708
- alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194
- alpha brass, effect of halide ions on stress corrosion cracking, 690
- amorphous alloys, tungsten content and corrosion resistance, 183
- cold-rolled steel, interface-engineered Parylene C coating, 169
- ferritic steels, intergranular stress corrosion cracking, 363
- iron, hydrogen absorption in simulated concrete pore solutions, 125
- magnesium galvanic anode, electrochemical behavior under ASTM G 97-89, 502
- mild steel, electrochemical model for corrosion in carbon dioxide, 280
- Parylene C film, morphology of the phosphate layer by vacuum deposition, 584
- passive behavior of austenitic and ferritic stainless steel in phosphoric acid, 865
- stainless steel, surface imaging techniques in erosion-corrosion, 493
- steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671
- surface analysis, films in hydrogen sulfide, 447
- thermal spray coatings, composition and microstructure in high temperatures, 213
- tubing life, prediction of in annular flow gas condensate wells with carbon dioxide, 801
- type 304 stainless steel, effect of molybdate on repassivation and stress corrosion cracking, 243
- type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733
- type 316L stainless steel, aging in seawater, 496
- type 316L stainless steel, ennoblement, 910
- zinc, effect of furfural in ethanolic solutions, 653

Finite element method

- A109 steel, localized corrosion of cathodically polarized in aqueous sodium chloride, 574

Flade potential. See Potential**Flory-Huggins isotherm**

- steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671

Flow

- boiling water reactors, modeling of corrosion potential, 618
- carbon steel, erosion-corrosion in carbon dioxide, 714
- carbon steel, in hydrogen sulfide, ammonia, oxygen systems, 947
- electrochemical corrosion potential, boiling water reactors in hydrogen water chemistries, 659
- localized corrosion, statistical and stochastic approaches, 813
- mild steel, electrochemical model for corrosion in carbon dioxide, 280
- stainless steel, acetate production, 558
- tubing life, prediction in annular flow gas condensate wells with carbon dioxide, 801

Fluoride and fluoride solutions

- alloy 825, prediction of localized corrosion in nuclear environments, 115
- alpha brass, effect of halide ions on stress corrosion cracking, 690

Food processing applications

- types 316L and 304L stainless steel, infiltration and corrosion resistance, 47

Fourier transform infrared spectroscopy

- aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857

Fourier transforms

- type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733

Fractography

- 15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143

alpha brass, effect of halide ions on stress corrosion cracking, 690
 austenitic stainless steel, stress corrosion cracking in calcium chloride, 337
 type 403 stainless steel, fatigue cracking in steam cycle environments, 262

Fracture and fracture testing. See also Corrosion; Cracking; Fatigue

silver-gold alloys, film-induced brittle intergranular cracking, 331
 transgranular stress corrosion cracking, environment-induced deformation localization, 347
 transgranular stress corrosion cracking and corrosion-assisted cleavage model, 453
 type 316 stainless steel, slow strain rate in lithium bromide, 72
 type 321 stainless steel, critical hydrogen concentration, 275

Franks, L.L., 187

Free radicals

cold-rolled steel, interface-engineered Parylene C coating, 169
 Parylene C film, morphology of the phosphate layer by vacuum deposition, 584

Frequency

magnesium galvanic anode, electrochemical behavior under ASTM G 97-89, 502

Frumkin isotherm

steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671

Fuels

zinc, effect of furfural in ethanolic solutions, 653

Furfural

zinc, effect in ethanolic solutions, 653

G

Gallates

zinc pigments, inhibition in alkaline media by aromatic hydroxy compounds, 786

Galvanic cells

Al 2024, microconstituent-induced pitting, 8

Galvanic corrosion. See also Corrosion

Al 2036, Al 5182, Al 6111, cold-rolled and electrogalvanized steel in automotive corrosion, 66
 electrogalvanized steel, cathodic reactions and anodic dissolution, 187
 mild steel, molybdate and nitrite as inhibitors for copper-coupled, 16
 sprayed-zinc sacrificial anodes for reinforced concrete in marine service, 508

Galvanic couples

Al 2036, Al 5182, Al 6111, cold-rolled and electrogalvanized steel in automotive corrosion, 66

aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138
 concrete, macrocell effects on potential measurement in cathodic protection systems, 552

localized surface plasticity during stress corrosion cracking, 356

mild steel, molybdate and nitrite as inhibitors for copper-coupled, 16

structural steel, sacrificial anode cathodic protection in seawater, 419

zinc and zinc alloy coated steels, current density mapping, 163

Galvanized steel. See also Steel

anodic dissolution, contribution of cathodic reactions, 187

cold-rolled steel, interface-engineered Parylene C coating, 169

Parylene C film, morphology of the phosphate layer by vacuum deposition, 584

Galvannealing

zinc-nickel alloy coatings, pulse-plated, 880

Galvanostatic dissolution. See also Dissolution

aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138

Galvanostatic testing

reference electrodes, activated titanium, 609
 type 316L stainless steel, ennoblement, 910

Gas pipelines and wells. See Oil and gas; Pipelines and line pipe steel

General corrosion. See also Corrosion

carbon steel, in hydrogen sulfide, ammonia, oxygen systems, 947

copper, effect of sulfate on uniform and localized attack, 232

effect of microstructure on 9% chromium-1% molybdenum steel, 540

lead, in simulated ground water, 953

localized and uniform corrosion, electrochemical emission spectroscopy, 753

type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177

Gold and gold alloys. See also Alloying

water adsorption, 843

silver-gold alloys, film-induced brittle intergranular cracking, 331

stress corrosion cracking in potassium bromide, chloride, and iodide solutions, 326

transgranular stress corrosion cracking and corrosion-assisted cleavage model, 453

Grain boundaries

effect of microstructure on 9% chromium-1% molybdenum steel, 540

ferritic steels, intergranular stress corrosion cracking, 363

nickel-molybdenum alloys, stress corrosion susceptibility, 634

silver-gold alloys, film-induced brittle intergranular cracking, 331

type 304 stainless steel, electrochemical potentiokinetic reactivation test and IGSCC susceptibility, 790

Grain-boundary corrosion. See also Corrosion

aluminum-zinc-indium alloy, effect on impedance characteristics, 138

Graphite

coatings, countercurrent gaseous diffusion model of oxidation through porous, 531

Gravimetric testing

electrogalvanized steel, cathodic reactions and anodic dissolution, 187

iron, nonionic surfactants in acid chloride solutions, 103

type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177

Ground water. See Water and water chemistry

lead, in simulated ground water, 953

Gunite

sprayed-zinc sacrificial anodes for reinforced concrete in marine service, 508

H

Halides

alpha brass, effect of halide ions on stress corrosion cracking, 690

steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671

Hardness

amorphous alloys, tungsten content and corrosion resistance, 183

Harmonic technique

corrosion rate, small-amplitude potential intermodulation technique, 204

Heat exchangers

15 HM steel, hydrogen and stress in pipe failures, 143

oil-fired power plants, corrosion assessment of regenerative preheaters, 872

Heat treatment

aluminum alloys, electrical conductivity and stress corrosion cracking susceptibility, 414

aluminum-zinc-indium alloy, effect of grain boundary corrosion on impedance, 138

amorphous alloys, tungsten content and corrosion resistance, 183

effect of microstructure on 9% chromium-1% molybdenum steel, 540

nickel-molybdenum alloys, stress corrosion susceptibility, 634

High-level waste. See Nuclear waste; Waste High-purity alloys. See also Alloying

alloy AZ91D, corrosion resistance and nitrogen ion implantation, 921

High-purity water. See also Water and water chemistry

boiling water reactors, modeling of corrosion potential, 618

type 304 stainless steel, electrochemical potentiokinetic reactivation test and IGSCC susceptibility, 790

type 304L stainless steel, zinc additions and oxide rupture strain and repassivation, 28

High-temperature corrosion. See also Corrosion

reference electrode, nonequilibrium development for aqueous systems, 53

High-temperature water. See also Water and water chemistry

corrosion potential of noble metal-modified alloys, 738

metal-doped alloy coatings by underwater thermal spraying, 440

reference electrode, nonequilibrium development for aqueous systems, 53

type 304L stainless steel, zinc additions and oxide rupture strain and repassivation, 28

Hot dip

zinc-nickel alloy coatings, pulse-plated, 880

Hydrochloric acid and solutions. See also Acids and acid solutions

austenitic stainless steel, nitrogen and electrochemical passivation, 36

iron, nonionic surfactants in acid chloride solutions, 103

iron, surface-enhanced Raman spectroscopy of inhibition mechanism, 83

mild steel, role of chloride ions during pickling, 154

mild steel, effect of metallic cations on inhibition of an anionic surfactant, 853

nickel-molybdenum alloys, stress corrosion susceptibility, 634

stainless steel, breakdown potential, 760

type 304 stainless steel, metal ion and exopolymer interaction, 891

type 304 stainless steel, effect of molybdate on repassivation and stress corrosion cracking, 243

types 316L and 304L stainless steel, infiltration and corrosion resistance, 47

Hydrofluoric acid and solutions. See also Acids and acid solutions

nickel-molybdenum alloys, stress corrosion susceptibility, 634

Hydrogen

15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143

boiling water reactors, modeling of corrosion potential, 618

corrosion potential of noble metal-modified alloys in high-temperature water, 738

iron, absorption in simulated concrete pore solutions, 125

metal-doped alloy coatings by underwater thermal spraying, corrosion potential, 440

reference electrodes, for high-temperature aqueous systems, 53

Hydrogen blistering

effect of microstructure on 9% chromium-1% molybdenum steel, 540

Hydrogen charging

titanium aluminide, cathodic corrosion in acidic solutions, 3

type 321 stainless steel, hydrogen-induced fracture, 275

Hydrogen concentration

electrochemical corrosion potential, boiling water reactors in hydrogen water chemistries, 659

- type 321 stainless steel, hydrogen-induced fracture, 275
- Hydrogen electrode.** *See also* **Electrode**
quasi-reversible, for high-temperature aqueous systems, 53
- Hydrogen embrittlement.** *See also* **Embrittlement**
iron, hydrogen absorption in simulated concrete pore solutions, 125
localized surface plasticity during stress corrosion cracking, 356
nickel-molybdenum alloys, stress corrosion susceptibility, 634
X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396
- Hydrogen evolution**
aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138
iron, nonionic surfactants in acid chloride solutions, 103
zinc pigments, inhibition in alkaline media by aromatic hydroxy compounds, 786
- Hydrogen exchange current.** *See also* **Current**
reference electrodes, for high-temperature aqueous systems, 53
- Hydrogen peroxide and solutions**
boiling water reactors, modeling of corrosion potential, 618
corrosion potential of noble metal-modified alloys in high-temperature water, 738
electrochemical corrosion potential, boiling water reactors in hydrogen water chemistries, 659
metal-doped alloy coatings by underwater thermal spraying, corrosion potential, 440
reference electrodes, for high-temperature aqueous systems, 53
- Hydrogen reduction**
mild steel, electrochemical model for corrosion in carbon dioxide, 280
- Hydrogen sulfide and solutions**
A516 carbon steel, electrochemical behavior in hydrogen sulfide, 708
carbon steel, corrosion in hydrogen sulfide, ammonia, oxygen systems, 947
duplex stainless steel, critical stress in sour environments, 592
surface analysis, inhibitor films, 447
- Hydrogen water chemistry.** *See also* **Water and water chemistry**
metal-doped alloy coatings by underwater thermal spraying, 440
- Hydrogen-induced cracking**
type 321 stainless steel, stress corrosion cracking under Mode II loading, 927
- Hydroxide solutions**
type 403 stainless steel, fatigue cracking in steam cycle environments, 262
- Hydroxy compounds**
zinc pigments, inhibition in alkaline media by aromatic hydroxy compounds, 786
- Hyper-velocity oxy-fuel technique**
metal-doped alloy coatings by underwater thermal spraying, 440
- I**
- Illumination**
zinc, effect of furfural in ethanolic solutions, 653
- Image analysis**
localized corrosion, statistical and stochastic approaches, 813
- Image subtraction**
copper, nanoscopic analysis of aqueous corrosion by scanning tunneling microscopy, 435
- Imidazole**
surface analysis, inhibitor films in hydrogen sulfide, 447
- Immersion and immersion testing**
A516 carbon steel, electrochemical behavior in hydrogen sulfide, 708
amorphous alloys, tungsten content and corrosion resistance, 183
- effect of microstructure on 9% chromium-1% molybdenum steel, 540
magnesium galvanic anode, electrochemical behavior under ASTM G 97-89, 502
nickel-molybdenum alloys, stress corrosion susceptibility, 634
types 316L and 304L stainless steel, infiltration and corrosion resistance, 47
- Impedance**
A516 carbon steel, electrochemical behavior in hydrogen sulfide, 708
aluminum-zinc-indium alloy, effect of grain-boundary corrosion, 138
carbon and weathering steel, in wet/dry environments, 600
coated steel, evaluation using alternating current impedance spectroscopy, 417
magnesium galvanic anode, electrochemical behavior under ASTM G 97-89, 502
mild steel, electrochemical model for corrosion in carbon dioxide, 280
passive behavior of austenitic and ferritic stainless steel in phosphoric acid, 865
weathering steel, modeling of atmospheric corrosion in sulfur dioxide, 900
- Impressed current.** *See also* **Current**
concrete, macrocell effects on potential measurements in cathodic protection systems, 552
modeling, underground cathodic protection stray currents, 490
reference electrodes, activated titanium, 609
sprayed-zinc sacrificial anodes for reinforced concrete in marine service, 508
- Inclusions**
high-strength steel, nonmetallic in fatigue, pitting, and corrosion fatigue, 92
iron, pitting in alkaline chloride solutions, 250
type 301L stainless steel, manganese and pitting, 23
type 403 stainless steel, fatigue cracking in steam cycle environments, 262
- Indium and indium alloys.** *See also* **Alloying**
aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138
- Inductive loop**
alloy AZ91D, corrosion resistance and nitrogen ion implantation, 921
- Industrial environments**
weathering steel, modeling of atmospheric corrosion in sulfur dioxide, 900
- Industrial environments and applications**
15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143
carbon and weathering steel, in wet/dry environments, 600
electrogalvanized steel, cathodic reactions and anodic dissolution, 187
mild steel, molybdate and nitrite as inhibitors for copper-coupled, 16
stainless steel, acetate production, 558
- Infiltration**
coatings, countercurrent gaseous diffusivity model of oxidation through porous, 531
types 316L and 304L stainless steel, corrosion resistance, 47
- Inhibition and inhibition efficiency**
iron, nonionic surfactants in acid chloride solutions, 103
iron, surface-enhanced Raman spectroscopy of inhibition of propargyl alcohol, 83
mild steel, effect of metallic cations on inhibition of an anionic surfactant, 853
mild steel, molybdate and nitrite as inhibitors for copper-coupled, 16
steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671
type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177
type 316 stainless steel, slow strain rate in lithium bromide, 72
zinc pigments, inhibition in alkaline media by aromatic hydroxy compounds, 786
- Inhibitors.** *See also* **Acid inhibitors**
alpha brass, effect of halide ions on stress corrosion cracking, 690
- iron, nonionic surfactants in acid chloride solutions, 103
iron, surface-enhanced Raman spectroscopy of inhibition mechanism, 83
mild steel, role of chloride ions during pickling, 154
mild steel, effect of metallic cations on inhibition of an anionic surfactant, 853
mild steel, molybdate and nitrite for copper-coupled in cooling water, 16
stainless steel, acetate production, 558
steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671
surface analysis, inhibitor films in hydrogen sulfide, 447
zinc, effect of furfural in ethanolic solutions, 653
zinc pigments, inhibition in alkaline media by aromatic hydroxy compounds, 786
- Interface engineering**
cold-rolled steel, Polyene C coatings, 169
- Intergranular corrosion and cracking.** *See also* **Corrosion; Cracking**
alpha brass, effect of halide ions on stress corrosion cracking, 690
aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
austenitic stainless steel, stress corrosion cracking in calcium chloride, 337
carbon steel, stress corrosion cracking in carbonate solutions, 428
electrochemical corrosion potential, boiling water reactors in hydrogen water chemistries, 659
Fe-Mn-Al alloys, deformation and cracking, 464
ferritic steels, mechanistic aspects, 363
metal-doped alloy coatings by underwater thermal spraying, 440
nickel-molybdenum alloys, stress corrosion susceptibility, 634
noble metal-modified alloys, corrosion potential in high-temperature water, 738
silver-gold alloys, film-induced brittle, 331
silver-gold alloys, stress corrosion cracking in potassium bromide, chloride, and iodide solutions, 326
type 304 stainless steel, electrochemical potentiokinetic reactivation test and IGSCC susceptibility, 790
type 304L stainless steel, zinc additions and oxide rupture strain and repassivation, 28
type 403 stainless steel, fatigue cracking in steam cycle environments, 262
- Intermetallics**
austenitic stainless steel, nitrogen and electrochemical passivation, 36
titanium aluminide intermetallics, binary, 626
- Intermediation technique**
corrosion rate, instantaneous measurement with small-amplitude potential, 204
- Iodides**
alpha brass, effect of halide ions on stress corrosion cracking, 690
- Ion implantation**
alloy AZ91D, corrosion resistance and nitrogen ion implantation, 921
- Ion scattering spectroscopy**
stainless steel, surface imaging techniques in erosion-corrosion, 493
- Iron and iron alloys.** *See also* **Alloying**
Al 2024, microconstituent-induced pitting, 8
austenitic stainless steel, nitrogen and electrochemical passivation, 36
electrogalvanized steel, cathodic reactions and anodic dissolution, 187
Fe-Mn-Al alloys, deformation and cracking, 464
gold, water adsorption, 843
hydrogen absorption in simulated concrete pore solutions, 125
mild steel, role of chloride ions during pickling, 154
nonionic surfactants in acid chloride solutions, 103
pitting in alkaline chloride solutions, 250

- surface-enhanced Raman spectroscopy of inhibition of propargyl alcohol, 83
 type 304L stainless steel, zinc additions and oxide rupture strain and repassivation, 28
- Iron carbide**
 cold-rolled steel, interface-engineered Parylene C coating, 169
- Iron carbonate**
 carbon steel, erosion-corrosion in carbon dioxide, 714
- Iron oxide. See also Films and film formation; Oxides and oxide films**
 mild steel, molybdate and nitrite as inhibitors for copper-coupled, 16
- Iron silicide**
 cold-rolled steel, interface-engineered Parylene C coating, 169
- Iron sulfide**
 A516 carbon steel, in hydrogen sulfide, 708
 surface analysis, inhibitor films in hydrogen sulfide, 447
- Irradiation. See also Nuclear environments**
 environmentally assisted cracking, prediction, 375
- K**
- Kinetics**
 Al 2024, microconstituent-induced pitting, 8
 steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671
 type 304L stainless steel, zinc additions and oxide rupture strain and repassivation, 28
- L**
- Langmuir adsorption isotherm**
 iron, nonionic surfactants in acid chloride solutions, 103
 steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671
- Lanthanum and lanthanum alloys. See also Alloying**
 mild steel, effect of metallic cations on inhibition of an anionic surfactant, 853
- Lead and lead alloys**
 electrochemistry in simulated ground water, 953
- Life prediction. See also Modeling**
 alloy 825, prediction of localized corrosion in nuclear environments, 115
 austenitic stainless steel, stress corrosion cracking in calcium chloride, 337
 environmentally assisted cracking, prediction, 375
- Light water reactors. See also Reactors**
 type 304L stainless steel, zinc additions and oxide rupture strain and repassivation, 28
- Linear polarization resistance. See also Polarization resistance; Resistance**
 corrosion rate, small-amplitude potential intermodulation technique, 204
- Lithium bromide and solutions**
 type 316 stainless steel under slow strain rate in heavy brine, 72
- Lithium chloride and solutions**
 alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194
- Loading. See also Constant load and testing; Slow strain rate loading**
 localized surface plasticity during stress corrosion cracking, 356
- Localization. See also Plasticity**
 localization
 transgranular stress corrosion cracking, environment-induced deformation localization, 347
- Localized corrosion. See also Corrosion**
 A109 steel, localized corrosion of cathodically polarized in aqueous sodium chloride, 574
 Al 2024, microconstituent-induced pitting, 8
 alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194
 alloy 825, prediction of localized corrosion in nuclear environments, 115
 aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138
 austenitic stainless steel, nitrogen and electrochemical passivation, 36
 concrete, macrocell effects on potential measurements in cathodic protection systems, 552
 copper, effect of sulfate on uniform and localized attack, 232
 duplex stainless steel, critical stress in sour environments, 592
 localized and uniform corrosion, electrochemical emission spectroscopy, 753
 stainless steel, breakdown potential, 760
 statistical and stochastic approaches, 813
 type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177
 type 304 stainless steel, effect of molybdate on repassivation and stress corrosion cracking, 243
 type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733
 zinc and zinc alloy coated steels, current density mapping, 163
- Localized dissolution. See also Dissolution**
 transgranular stress corrosion cracking and corrosion-assisted cleavage model, 453
- Low-alloy steel. See also By type; By UNS number; Steel**
 corrosion potential of noble metal-modified alloys in high-temperature water, 738
 environmentally assisted cracking, prediction, 375
- M**
- Macrocell**
 concrete, macrocell effects on potential measurement in cathodic protection systems, 552
- Magnesium and magnesium alloys. See also Alloying**
 Al 2024, microconstituent-induced pitting, 8
 alloy AZ91D, corrosion resistance and nitrogen ion implantation, 921
 galvanic anode, electrochemical behavior under ASTM G 97-89, 502
 reinforced concrete bridges, sacrificial anode materials, 472
- Magnesium chloride and solutions**
 alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194
 type 321 stainless steel, hydrogen-induced fracture, 275
 type 321 stainless steel, stress corrosion cracking under Mode II loading, 927
- Magnesium hydroxide and solutions**
 magnesium galvanic anode, electrochemical behavior under ASTM G 97-89, 502
- Magnetic fields**
 aircraft aluminum, superconducting magnetometry, 219
- Magnetometry**
 aircraft aluminum, superconducting magnetometry, 219
- Manganese and manganese alloys. See also Alloying**
 Al 2024, microconstituent-induced pitting, 8
 Fe-Mn-Al alloys, deformation and cracking, 464
 type 301L stainless steel, effect on pitting, 23
- Mapping**
 zinc and zinc alloy coated steels, current density mapping, 163
- Marine corrosion. See also Aqueous solutions and environments; Corrosion; Salt water and solutions**
 aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138
 iron, hydrogen absorption in simulated concrete pore solutions, 125
 sprayed-zinc sacrificial anodes for reinforced concrete in marine service, 508
 type 304 stainless steel, metal ion and exopolymer interaction, 891
- Mass loss**
 iron, nonionic surfactants in acid chloride solutions, 103
- Mass transfer**
 mild steel, electrochemical model for corrosion in carbon dioxide, 280
 tubing life, prediction in annular flow gas condensate wells with carbon dioxide, 801
- Mass transport**
 iron, pitting in alkaline chloride solutions, 250
- Maximum entropy method**
 type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733
- Metal-matrix composites**
 aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
- Metallic cations. See Cations**
- Metallography**
 15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143
 A109 steel, localized corrosion of cathodically polarized in aqueous sodium chloride, 574
- Microbiologically influenced corrosion. See also Corrosion; Sulfate-reducing bacteria**
 mild steel, microbiologically influenced corrosion by extracellular biopolymers, 744
 type 304 stainless steel, metal ion and exopolymer interaction, 891
 type 316L stainless steel, aging in seawater, 496
 type 316L stainless steel, ennoblement, 910
- Microcathode**
 localized and uniform corrosion, electrochemical emission spectroscopy, 753
- Microconstituents**
 Al 2024, microconstituent-induced pitting, 8
- Microcorrosion. See also Corrosion**
 copper, nanoscopic analysis of aqueous corrosion by scanning tunneling microscopy, 435
- Microcracking. See also Cracking**
 type 321 stainless steel, stress corrosion cracking under Mode II loading, 927
 zinc-nickel alloy coatings, pulse-plated, 880
- Microelectrode. See also Electrode**
 mild steel, microbiologically influenced corrosion by extracellular biopolymers, 744
 type 316L stainless steel, ennoblement, 910
- Micromechanics**
 type 321 stainless steel, stress corrosion cracking under Mode II loading, 927
- Microstructure**
 15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143
 Al 2024, microconstituent-induced pitting, 8
 effect of microstructure on 9% chromium-1% molybdenum steel, 540
 thermal spray coatings, composition and in high temperatures, 213
 zinc-nickel alloy coatings, pulse-plated, 880
- Microvoid coalescence. See Coalescence**
- Mild steel. See also By type; By UNS number; Steel**
 role of chloride ions during pickling, 154
 corrosion rate, small-amplitude potential intermodulation technique, 204
 effect of metallic cations on inhibition of an anionic surfactant, 853
 electrochemical model for corrosion in carbon dioxide, 280
 molybdate and nitrite as inhibitors for copper-coupled in cooling water, 16
 oil-fired power plants, corrosion assessment of regenerative preheaters, 872
 microbiologically influenced corrosion by extracellular biopolymers, 744
 synergism between erosion and corrosion in aqueous environments, 934

Mixed-metal oxides. See also Films and film formation; Oxides and oxide films

reference electrodes, activated titanium, 609
Modeling. See also Life prediction; Monte Carlo simulation; OKAPPI

boiling water reactors, corrosion potential, 618
 carbon and weathering steel, in wet/dry environments, 600
 carbon steel, erosion-corrosion in carbon dioxide, 714
 coatings, countercurrent gaseous diffusion model of oxidation through porous, 531
 electrogalvanized steel, cathodic reactions and anodic dissolution, 187
 mild steel, electrochemical model for corrosion in carbon dioxide, 280
 slip dissolution and stress corrosion cracking, 728
 stainless steel, breakdown potential, 760
 steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671
 tubing life, prediction in annular flow gas condensate wells with carbon dioxide, 801
 type 304L stainless steel, zinc additions and oxide rupture strain and repassivation, 28

Molybdate

mild steel, and nitrite as inhibitors for copper-coupled in cooling water, 16
 type 304 stainless steel, metal ion and exopolymer interaction, 891
 type 304 stainless steel, effect on stress corrosion cracking and repassivation, 243

Molybdenum and molybdenum alloys. See also Alloying

austenitic stainless steel, nitrogen and electrochemical passivation, 36
 effect of microstructure on 9% chromium-1% molybdenum steel, 540
 nickel-molybdenum alloys, stress corrosion susceptibility, 634
 passive behavior of austenitic and ferritic stainless steel in phosphoric acid, 865
 type 304 stainless steel, metal ion and exopolymer interaction, 891
 type 304 stainless steel, effect of molybdate on repassivation and stress corrosion cracking, 243

Monte Carlo simulation. See also Modeling

localized corrosion, statistical and stochastic approaches, 813

Morphology. See also Crack morphology; Pitting morphology

alloy A291D, corrosion resistance and nitrogen ion implantation, 921
 copper, effect of sulfate on uniform and localized attack, 232
 copper, nanoscopic analysis of aqueous corrosion by scanning tunneling microscopy, 435
 duplex stainless steel, critical stress in sour environments, 592
 nickel-molybdenum alloys, stress corrosion susceptibility, 634
 Parylene C film, morphology of the phosphate layer by vacuum deposition, 584
 transgranular stress corrosion cracking and corrosion-assisted cleavage model, 453
 type 304 stainless steel, influence of stress and pH on stress corrosion cracking, 523

N**Neutral solutions and environments**

type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177

Nickel and nickel alloys. See also Alloying

alloy 825, prediction of localized corrosion in nuclear environments, 115
 amorphous alloys, tungsten content and corrosion resistance, 183
 austenitic stainless steel, nitrogen and electrochemical passivation, 36
 gold, water adsorption, 843
 mild steel, effect of metallic cations on inhibition of an anionic surfactant, 853

nickel-molybdenum alloys, stress corrosion susceptibility, 634

passive behavior of austenitic and ferritic stainless steel in phosphoric acid, 865

type 301L stainless steel, manganese and pitting, 23

type 304L stainless steel, zinc additions and oxide rupture strain and repassivation, 28

zinc-nickel alloy coatings, pulse-plated, 880

Nitrate and nitrate solutions

alloy 825, prediction of localized corrosion in nuclear environments, 115

ferritic steel, intergranular stress corrosion cracking, 363

Nitric acid and solutions. See also Acids and acid solutions

types 316L and 304L stainless steel, infiltration and corrosion resistance, 47

Nitrides and nitrites

austenitic stainless steel, nitrogen and electrochemical passivation, 36

mild steel, and molybdate as inhibitors for copper-coupled in cooling water, 16

Nitrogen and nitrogen alloys. See also Alloying

alloy A291D, corrosion resistance and nitrogen ion implantation, 921

austenitic stainless steel, nitrogen and electrochemical passivation, 36

steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671

type 301L stainless steel, manganese and pitting, 23

Noble alloys and metals. See also Alloying

corrosion potential of noble metal-modified alloys in high-temperature water, 738

metal-doped alloy coatings by underwater thermal spraying, 440

Noise. See Electrochemical noise**Nondestructive testing**

localized and uniform corrosion, electrochemical emission spectroscopy, 753

Nonlinear distortion

corrosion rate, small-amplitude potential intermodulation technique, 204

Nuclear environments. See also Irradiation

boiling water reactors, modeling of corrosion potential, 618

electrochemical corrosion potential, boiling water reactors in hydrogen water chemistries, 659

lead, in simulated ground water, 953

noble metal-modified alloys, corrosion potential in high-temperature water, 738

type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733

type 321 stainless steel, stress corrosion cracking under Mode II loading, 927

Nuclear waste

alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194

alloy 825, prediction of localized corrosion in nuclear environments, 115

O**Oil and gas. See also Petrochemical applications; Pipelines and line pipe steel**

A516 carbon steel, electrochemical behavior in hydrogen sulfide, 708

effect of microstructure on 9% chromium-1% molybdenum steel, 540

duplex stainless steel, critical stress in sour environments, 592

tubing life, prediction in annular flow gas condensate wells with carbon dioxide, 801

type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733

type 321 stainless steel, stress corrosion cracking under Mode II loading, 927

OKAPPI. See also Modeling

modeling, underground cathodic protection stray currents, 480

Open-circuit potential. See also Potential

A516 carbon steel, electrochemical behavior in hydrogen sulfide, 708

alloy 625, influence of sulfate-reducing bacteria on weldments, 831

alpha brass, effect of halide ions on stress corrosion cracking, 690

effect of microstructure on 9% chromium-1% molybdenum steel, 540

type 304 stainless steel, effect of molybdate on repassivation and stress corrosion cracking, 243

type 316L stainless steel, aging in seawater, 496

type 316L stainless steel, ennoblement, 910

Optical microscopy

aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138

nickel-molybdenum alloys, stress corrosion susceptibility, 634

Organic matter

copper, in potable water systems and natural organic matter, 307

Overcoats. See Coatings**Oxidants and oxidation**

coatings, countercurrent gaseous diffusion model of oxidation through porous, 531

corrosion rate, small-amplitude potential intermodulation technique, 204

thermal spray coatings, composition and microstructure in high temperatures, 213

type 304L stainless steel, zinc additions and oxide rupture strain and repassivation, 28

type 316L stainless steel, ennoblement, 910

Oxides and oxide films. See also Arsenic oxide; Films and film formation; Iron oxide; Mixed-metal oxides

mild steel, molybdate and nitrite as inhibitors for copper-coupled, 16

type 304L stainless steel, zinc additions and oxide rupture strain and repassivation, 28

Oxygen and oxygen reduction

boiling water reactors, modeling of corrosion potential, 618

carbon steel, in hydrogen sulfide, ammonia, oxygen systems, 947

coatings, countercurrent gaseous diffusion model of oxidation through porous, 531

corrosion potential of noble metal-modified alloys in high-temperature water, 738

electrochemical corrosion potential, boiling water reactors in hydrogen water chemistries, 659

electrogalvanized steel, cathodic reactions and anodic dissolution, 187

metal-doped alloy coatings by underwater thermal spraying, corrosion potential, 440

mild steel, electrochemical model for corrosion in carbon dioxide, 280

mild steel, microbiologically influenced corrosion by extracellular biopolymers, 744

reference electrodes, for high-temperature aqueous systems, 53

type 304 stainless steel, metal ion and exopolymer interaction, 891

type 316L stainless steel, ennoblement, 910

Ozonation

copper, in potable water systems and natural organic matter, 307

P**P-toluenesulfonic acid**

stainless steel, acetate production, 558

Paint. See also Coatings; Primers

zinc pigments, inhibition in alkaline media by aromatic hydroxy compounds, 786

Palladium and palladium alloys. See also Alloying

reference electrodes and oxygen sensors, for high-temperature aqueous systems, 53

Parylene C

cold-rolled steel, interface-engineered Parylene C coating, 169

- film, morphology of the phosphate layer by vacuum deposition, 584
- Passivation and passivity. See also Repassivation**
alpha brass, effect of halide ions on stress corrosion cracking, 690
austenitic stainless steel, nitrogen and electrochemical, 36
carbon and weathering steel, in wet/dry environments, 600
effect of microstructure on 9% chromium-1% molybdenum steel, 540
magnesium galvanic anode, electrochemical behavior under ASTM G 97-89, 502
mild steel, microbiologically influenced corrosion by extracellular biopolymers, 744
passive behavior of austenitic and ferritic stainless steel in phosphoric acid, 865
synergism between erosion and corrosion in aqueous environments, 934
type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733
type 316L stainless steel, aging in seawater, 496
types 316L and 304L stainless steel, infiltration and corrosion resistance, 47
X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396
- Passive potential. See Potential**
- Patterning**
transgranular stress corrosion cracking, environment-induced deformation localization, 347
- Perchloric acid and solutions. See also Acids and acid solutions**
silver-gold alloys, stress corrosion cracking in potassium bromide, chloride, and iodide solutions, 326
- Permeation**
iron, hydrogen absorption in simulated concrete pore solutions, 125
- Petrochemical applications. See also Oil and gas**
type 321 stainless steel, stress corrosion cracking under Mode II loading, 927
- pH**
Al 2024, microconstituent-induced pitting, 8
carbon steel, in hydrogen sulfide, ammonia, oxygen systems, 947
copper, in potable water systems and natural organic matter, 307
electrogalvanized steel, cathodic reactions and anodic dissolution, 187
iron, hydrogen absorption in simulated concrete pore solutions, 125
iron, pitting in alkaline chloride solutions, 250
mild steel, electrochemical model for corrosion in carbon dioxide, 280
mild steel, microbiologically influenced corrosion by extracellular biopolymers, 744
mild steel, molybdate and nitrite as inhibitors for copper-coupled, 16
reference electrodes, activated titanium, 609
titanium aluminide intermetallics, binary, 626
type 304 stainless steel, influence of stress and pH on stress corrosion cracking, 523
type 316 stainless steel, slow strain rate in lithium bromide, 72
types 316L and 304L stainless steel, infiltration and corrosion resistance, 47
X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396
- Phases**
austenitic stainless steel, nitrogen and electrochemical passivation, 36
nickel-molybdenum alloys, stress corrosion susceptibility, 634
- Phenolic resins**
zinc pigments, inhibition in alkaline media by aromatic hydroxy compounds, 786
- Phosphates and phosphate solutions**
type 403 stainless steel, fatigue cracking in steam cycle environments, 262
- Phosphoric acid and solutions. See also Acids and acid solutions**
passive behavior of austenitic and ferritic stainless steel in polluted, 865
- Phosphorus and phosphorus alloys. See also Alloying**
amorphous alloys, tungsten content and corrosion resistance, 183
weathering steel, modeling of atmospheric corrosion in sulfur dioxide, 900
- Pickling**
mild steel, role of chloride ions during pickling, 154
- Pigment**
zinc pigments, inhibition in alkaline media by aromatic hydroxy compounds, 786
- Pipelines and line pipe steel. See also Oil and gas; Petrochemical applications; Steel**
15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143
carbon steel, erosion-corrosion in carbon dioxide, 714
modeling, underground cathodic protection stray currents, 480
surface analysis, inhibitor films in hydrogen sulfide, 447
X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396
- Pitting corrosion. See also Corrosion**
Al 109 steel, localized corrosion of cathodically polarized in aqueous sodium chloride, 574
Al 2024, microconstituent-induced, 8
Al 2036, Al 5182, Al 6111, cold-rolled and electrogalvanized steel in automotive corrosion, 86
alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194
alloy 825, prediction of localized corrosion in nuclear environments, 115
alloy A291D, corrosion resistance and nitrogen ion implantation, 921
aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
austenitic stainless steel, nitrogen and electrochemical passivation, 36
carbon steel, erosion-corrosion in carbon dioxide, 714
copper, effect of sulfate on uniform and localized attack, 232
effect of microstructure on 9% chromium-1% molybdenum steel, 540
duplex stainless steel, critical stress in sour environments, 592
Fe-Mn-Al alloys, deformation and cracking, 464
high-strength steel, nonmetallic inclusions, 92
iron, in alkaline chloride solutions, 250
lead, in simulated ground water, 953
localized corrosion, statistical and stochastic approaches, 813
stainless steel, breakdown potential, 760
transgranular stress corrosion cracking and corrosion-assisted cleavage model, 453
tubing life, prediction of in annular flow gas condensate wells with carbon dioxide, 801
type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177
type 304 stainless steel, effect of molybdate on repassivation and stress corrosion cracking, 243
type 304 stainless steel, influence of stress and pH on stress corrosion cracking, 523
type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733
type 316L stainless steel, aging in seawater, 496
type 403 stainless steel, fatigue cracking in steam cycle environments, 262
zinc and zinc alloy coated steels, current density mapping, 163
- Pitting indices**
alloy 625, influence of sulfate-reducing bacteria on weldments, 831
- Pitting morphology. See also Morphology**
titanium aluminide intermetallics, binary, 626
type 304 stainless steel, critical pitting potential in high-temperature solutions, 109
- Pitting potential. See also Potential**
Al 2024, microconstituent-induced pitting, 8
effect of microstructure on 9% chromium-1% molybdenum steel, 540
localized corrosion, statistical and stochastic approaches, 813
stainless steel, breakdown potential, 760
titanium aluminide intermetallics, binary, 626
type 301L stainless steel, manganese and pitting, 23
type 304 stainless steel, in high-temperature chloride solutions, 109
type 316L stainless steel, aging in seawater, 496
- Pitting resistance. See also Resistance**
Al 2024, microconstituent-induced pitting, 8
austenitic stainless steel, nitrogen and electrochemical passivation, 36
effect of microstructure on 9% chromium-1% molybdenum steel, 540
type 301L stainless steel, manganese and pitting, 23
- Plasma and plasma polymerization. See also Polymerization**
cold-rolled steel, interface-engineered Parylene C coating, 169
Parylene C film, morphology of the phosphate layer by vacuum deposition, 584
- Plasma spray**
metal-doped alloy coatings by underwater thermal spraying, 440
- Plastic deformation**
transgranular stress corrosion cracking, environment-induced deformation localization, 347
- Plasticity localization. See also Localization**
high-strength steel, nonmetallic inclusions, 92
- Platinum and platinum alloys. See also Alloying**
reference electrodes and oxygen sensors, for high-temperature aqueous systems, 53
- Poisson distribution**
localized corrosion, statistical and stochastic approaches, 813
- Polarization and polarization testing. See also Anodic; Cathodic; Potentiodynamic polarization and testing; Potentiokinetic polarization and testing; Potentiostatic polarization and testing**
alpha brass, effect of halide ions on stress corrosion cracking, 690
amorphous alloys, tungsten content and corrosion resistance, 183
austenitic stainless steel, nitrogen and electrochemical passivation, 36
iron, nonionic surfactants in acid chloride solutions, 103
iron, surface-enhanced Raman spectroscopy of inhibition of propargyl alcohol, 83
localized and uniform corrosion, electrochemical emission spectroscopy, 753
stainless steel, breakdown potential, 760
steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671
type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177
type 304 stainless steel, critical pitting potential in high-temperature solutions, 109
type 321 stainless steel, hydrogen-induced fracture, 275
- Polarization resistance. See also Linear polarization resistance; Resistance**
A516 carbon steel, electrochemical behavior in hydrogen sulfide, 708
alloy 625 and austenitic stainless steel, influence of sulfate-reducing bacteria on weldments, 831
alloy A291D, corrosion resistance and nitrogen ion implantation, 921

- aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
mild steel, electrochemical model for corrosion in carbon dioxide, 280
reference electrodes, activated titanium, 609
- Poly(monochloro-p-xylylene)**
cold-rolled steel, interface-engineered Parylene C coating, 169
- Polychromatic light**
zinc, effect of furfural in ethanolic solutions, 653
- Polymerization. See also Plasma and plasma polymerization**
iron, surface-enhanced Raman spectroscopy of inhibition of propargyl alcohol, 83
- Polymers. See also Biopolymers**
cold-rolled steel, interface-engineered Parylene C coating, 169
iron, surface-enhanced Raman spectroscopy of inhibition of propargyl alcohol, 83
reference electrodes, for high-temperature aqueous systems, 53
- Polysulfides**
carbon steel, in hydrogen sulfide, ammonia, oxygen systems, 947
- Porosity**
coatings, countercurrent gaseous diffusion model of oxidation through porous, 531
magnesium galvanic anode, electrochemical behavior under ASTM G 97-89, 502
types 316L and 304L stainless steel, infiltration and corrosion resistance, 47
- Potable water. See Water and water chemistry**
- Potassium bromide and solutions**
silver-gold alloys, stress corrosion cracking, 326
- Potassium chloride and solutions**
silver-gold alloys, stress corrosion cracking, 326
- Potassium chromate and solutions**
type 316 stainless steel, slow strain rate in lithium bromide, 72
- Potassium iodide and solutions**
silver-gold alloys, stress corrosion cracking, 326
- Potential. See also Breakdown; Electrode; Open-circuit; Pitting; Repassivation**
aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
carbon steel, stress corrosion cracking in carbonate solutions, 428
concrete, macrocell effects on potential measurement in cathodic protection systems, 552
ferritic steel, intergranular stress corrosion cracking, 363
intermodulation technique for corrosion rate measurement, 204
iron, hydrogen absorption in simulated concrete pore solutions, 125
nickel-molybdenum alloys, stress corrosion susceptibility, 634
oil-fired power plants, corrosion assessment of regenerative preheaters, 872
reference electrodes, activated titanium, 609
reference electrodes, for high-temperature aqueous systems, 53
silver-gold alloys, film-induced brittle intergranular cracking, 331
titanium aluminide, cathodic corrosion during hydrogen charging, 3
- Potentiodynamic polarization and testing. See also Polarization**
alloy 825, prediction of localized corrosion in nuclear environments, 115
copper, effect of sulfate on uniform and localized attack, 232
effect of microstructure on 9% chromium-1% molybdenum steel, 540
mild steel, role of chloride ions during pickling, 154
mild steel, electrochemical model for corrosion in carbon dioxide, 280
type 304 stainless steel, metal ion and exopolymer interaction, 891
type 316 stainless steel, slow strain rate in lithium bromide, 72
zinc-nickel alloy coatings, corrosion properties of pulse-plated, 880
- Potentiokinetic polarization and testing. See also Polarization**
type 316L stainless steel, aging in seawater, 496
- Potentiostatic polarization and testing. See also Polarization**
alloy 825, prediction of localized corrosion in nuclear environments, 115
iron, pitting in alkaline chloride solutions, 250
- Power generation industries. See also Utilities**
effect of microstructure on 9% chromium-1% molybdenum steel, 540
modeling, underground cathodic protection stray currents, 480
oil-fired power plants, corrosion assessment of regenerative preheaters, 872
- Power spectral density**
type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733
- Precipitates and precipitation**
A516 carbon steel, electrochemical behavior in hydrogen sulfide, 708
ferritic steels, intergranular stress corrosion cracking, 363
nickel-molybdenum alloys, stress corrosion susceptibility, 634
type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177
- Pressurized water reactors. See also Reactors**
alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194
- Prestressed concrete. See Concrete**
- Primers. See Coatings; Paint**
- Process industries**
aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
- Production rate**
carbon steel, erosion-corrosion in carbon dioxide, 714
- Propagation**
austenitic stainless steel, stress corrosion cracking in calcium chloride, 337
- Propargyl alcohol**
iron, surface-enhanced Raman spectroscopy of inhibition mechanism, 83
- Protein**
type 304 stainless steel, metal ion and exopolymer interaction, 891
- Pulp and paper industry**
type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733
- Pulse plating. See Coatings**
- Q**
- Quartz microbalance technique**
gold, water adsorption, 843
- R**
- Radiolysis**
boiling water reactors, modeling of corrosion potential, 618
- Railways**
modeling, underground cathodic protection stray currents, 480
- Ranking**
stainless steel, breakdown potential, 760
- Rare earth elements**
mild steel, effect of metallic cations on inhibition of an anionic surfactant, 853
- Rate constant**
reference electrodes and oxygen sensors, for high-temperature aqueous systems, 53
- Rating number**
localized corrosion, statistical and stochastic approaches, 813
- Reactors. See also Boiling water reactors; Light water reactors; Pressurized water reactors**
stainless steel, acetate production, 558
- Recirculation piping**
electrochemical corrosion potential, boiling water reactors in hydrogen water chemistries, 659
- Red rust. See also Rust**
electrogalvanized steel, cathodic reactions and anodic dissolution, 187
- Reducing agent**
type 304 stainless steel, metal ion and exopolymer interaction, 891
- Reference electrode. See also Electrode**
activated titanium, characterization for, 609
carbon and weathering steel, in wet/dry environments, 600
high-temperature aqueous systems, 53
- Refrigeration and heating applications**
type 316 stainless steel, under slow strain rate in lithium bromide, 72
- Regenerative preheaters**
oil-fired power plants, corrosion assessment, 872
- Reinforced concrete. See also Concrete**
bridges, sacrificial anode materials, 472
macrocell effects on potential measurement in cathodic protection systems, 552
sprayed-zinc sacrificial anodes for reinforced concrete in marine service, 508
- Reinforcing steel. See also Steel**
reinforced concrete bridges, sacrificial anode materials, 472
sprayed-zinc sacrificial anodes for reinforced concrete in marine service, 508
- Relative humidity**
carbon and weathering steel, in wet/dry environments, 600
gold, water adsorption, 843
sprayed-zinc sacrificial anodes for reinforced concrete in marine service, 508
- Repassivation. See also Passivation and passivity**
alloy 825, prediction of localized corrosion in nuclear environments, 115
localized corrosion, statistical and stochastic approaches, 813
type 304 stainless steel, effect of molybdate on stress corrosion cracking and, 243
type 304L stainless steel, zinc additions and oxide rupture strain and, 28
- Repassivation potential. See also Potential; Repassivation**
alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194
type 304 stainless steel, in high-temperature chloride solutions, 109
- Resistance. See also Corrosion; Linear polarization; Pitting; Polarization**
coated steel, evaluation using alternating current impedance spectroscopy, 417
magnesium galvanic anode, electrochemical behavior under ASTM G 97-89, 502
stainless steel, breakdown potential, 760
type 304L stainless steel, zinc additions and oxide rupture strain and repassivation, 28
- River water**
type 316L stainless steel, ennoblement, 910
- Rotating cylinder**
carbon steel, in hydrogen sulfide, ammonia, oxygen systems, 947
- Rotating cylinder electrode. See also Electrode**
boiling water reactors, modeling of corrosion potential, 618
stainless steel, acetate production, 558
synergism between erosion and corrosion in aqueous environments, 934
type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177
- Rotation**
type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177

Rust. See also Red rust

carbon and weathering steel, in wet/dry environments, 600

S**S-ten steel**

corrosion assessment of regenerative preheaters in oil-fired power plants, 872

Salicyl alcohol

zinc pigments, inhibition in alkaline media by aromatic hydroxy compounds, 786

Saline solutions. See Salt water and solutions**Salt water and solutions. See also Aqueous solutions and environments; Marine corrosion; Sodium chloride and solutions**

Al 2036, Al 5182, Al 6111, cold-rolled and electrogalvanized steel in automotive corrosion, 66
aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
mild steel, microbiologically influenced corrosion by extracellular biopolymers, 744
steel, sacrificial anode cathodic polarization, 419
titanium aluminide, cathodic corrosion during hydrogen charging, 3
type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177
type 316 stainless steel under slow strain rate in lithium bromide, 72
type 316L stainless steel, aging in seawater, 496

Salt-spray environments

alloy AZ91D, corrosion resistance and nitrogen ion implantation, 921

Salt-spray testing

Parylene C film, morphology of the phosphate layer by vacuum deposition, 584
zinc-nickel alloy coatings, corrosion properties of pulse-plated, 880

Sand

carbon steel, erosion-corrosion in carbon dioxide, 714

Scab test

Parylene C film, morphology of the phosphate layer by vacuum deposition, 584

Scale

mild steel, role of chloride ions during pickling, 154

Scanning electron microscopy

15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143
Al 2024, microconstituent-induced pitting, 8
aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138
iron, pitting in alkaline chloride solutions, 250
nickel-molybdenum alloys, stress corrosion susceptibility, 634
transgranular stress corrosion cracking, environment-induced deformation localization, 347
type 304 stainless steel, electrochemical potentiokinetic reactivation test and IGSCC susceptibility, 790
zinc-nickel alloy coatings, pulse-plated, 880

Scanning probe microscopy

copper, nanoscopic analysis of aqueous corrosion by scanning tunneling microscopy, 435

Scanning tunneling microscopy

copper, nanoscopic analysis of aqueous corrosion, 435

Scanning vibrating electrode. See also Electrode

aircraft aluminum, superconducting magnetometry, 219
mild steel, microbiologically influenced corrosion by extracellular biopolymers, 744

Scratching electrode. See also Electrode

type 304 stainless steel, effect of molybdate on repassivation and stress corrosion cracking, 243

Seawater. See Salt water and solutions**Secondary ion mass spectroscopy**

passive behavior of austenitic and ferritic stainless steel in phosphoric acid, 865
stainless steel, surface imaging techniques in erosion-corrosion, 493
surface analysis, inhibitor films in hydrogen sulfide, 447

Segregates and segregation

austenitic stainless steel, nitrogen and electrochemical passivation, 36
ferritic steels, intergranular stress corrosion cracking, 363
nickel-molybdenum alloys, stress corrosion susceptibility, 634

Selective dissolution. See also Dissolution

silver-gold alloys, film-induced brittle intergranular cracking, 331

Semiconductors

zinc, effect of furfural in ethanolic solutions, 653

Sensitization

nickel-molybdenum alloys, stress corrosion susceptibility, 634
type 304 stainless steel, electrochemical potentiokinetic reactivation test and IGSCC susceptibility, 790

Sensors

hydrogen peroxide, high-temperature aqueous systems, 53
oxygen, for high-temperature aqueous systems, 53

Sheathing

lead, in simulated ground water, 953

Silicate and silicate solutions

type 403 stainless steel, fatigue cracking in steam cycle environments, 262

Silicon carbide

aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857

Silver and silver alloys. See also Alloying

silver-gold alloys, film-induced brittle intergranular cracking, 331
stress corrosion cracking in potassium bromide, chloride, and iodide solutions, 326

Single crystal

type 321 stainless steel, stress corrosion cracking under Mode II loading, 927

Sintering

types 316L and 304L stainless steel, infiltration and corrosion resistance, 47

Slip and slip bands

localized surface plasticity during stress corrosion cracking, 356
transgranular stress corrosion cracking, environment-induced deformation localization, 347

Slip dissolution. See also Dissolution

environmentally assisted cracking, prediction, 375
modeling, stress corrosion cracking, 728
type 304L stainless steel, zinc additions and oxide rupture strain and repassivation, 28

Slip localization. See Localization**Slow strain rate loading. See also Loading**

transgranular stress corrosion cracking and corrosion-assisted cleavage model, 453

Slow strain rate testing

alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194
alpha brass, effect of halide ions on stress corrosion cracking, 690
carbon steel, stress corrosion cracking in carbonate solutions, 428
duplex stainless steel, critical stress in sour environments, 592
Fe-Mn-Al alloys, deformation and cracking, 464
nickel-molybdenum alloys, stress corrosion susceptibility, 634

silver-gold alloys, stress corrosion cracking in potassium bromide, chloride, and iodide solutions, 326

type 304 stainless steel, electrochemical potentiokinetic reactivation test and IGSCC susceptibility, 790

type 316 stainless steel, slow strain rate in lithium bromide, 72

Sodium bicarbonate and solutions

synergism between erosion and corrosion in aqueous environments, 934

Sodium borate and solutions

iron, pitting in alkaline chloride solutions, 250

Sodium carbonate and solutions

synergism between erosion and corrosion in aqueous environments, 934

Sodium chloride and solutions. See also Salt water and solutions

Al 109 steel, localized corrosion of cathodically polarized in aqueous sodium chloride, 574
Al 2024, microconstituent-induced pitting, 8
alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194
aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138
austenitic stainless steel, nitrogen and electrochemical passivation, 36
coated steel, evaluation using alternating current impedance spectroscopy, 417
effect of microstructure on 9% chromium-1% molybdenum steel, 540
duplex stainless steel, critical stress in sour environments, 592
Fe-Mn-Al alloys, deformation and cracking, 464
high-strength steel, nonmetallic inclusions, 92
lead, in simulated ground water, 953
mild steel, role of chloride ions during pickling, 154
reference electrodes, activated titanium, 609
surface analysis, inhibitor films in hydrogen sulfide, 447
titanium aluminide intermetallics, binary, 626
type 304 stainless steel, electrochemical potentiokinetic reactivation test and IGSCC susceptibility, 790
zinc and zinc alloy coated steels, current density mapping, 163

Sodium dodecyl sulfonate

mild steel, effect of metallic cations on inhibition of an anionic surfactant, 853

Sodium hydroxide and solutions

lead, in simulated ground water, 953
type 304 stainless steel, influence of stress and pH on stress corrosion cracking, 523

Sodium sulfate and solutions

silver-gold alloys, stress corrosion cracking in potassium bromide, chloride, and iodide solutions, 326
titanium aluminide intermetallics, binary, 626
type 1518 steel, N-lauroyl sarcosine as an inhibitor in saline solutions, 177
zinc and zinc alloy coated steels, current density mapping, 163

Soil solutions

X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396

Sour environments

duplex stainless steel, critical stress for stress corrosion cracking, 592

Splash zones

sprayed-zinc sacrificial anodes for reinforced concrete in marine service, 508

Stainless steel. See also Austenitic; By type; By UNS number; Duplex; Steel

alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194
breakdown potential, 760
Fe-Mn-Al alloys, deformation and cracking, 464
localized corrosion, statistical and stochastic approaches, 813

- metal-doped alloy coatings by underwater thermal spraying, 440
- type 304 stainless steel, in high-temperature chloride solutions, 109
- Statistical method**
- localized corrosion, statistical and stochastic approaches, 813
- Steam and steam generators**
- 15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143
- type 403 stainless steel, fatigue cracking in steam cycle environments, 262
- Steel. See also By type; By UNS number; Carbon; Cold-rolled; CORTEN; Ferritic; Galvanized; Low-alloy; Mild; Pipelines and line pipe steel; Reinforcing; Stainless**
- coated steel, evaluation using alternating current impedance spectroscopy, 417
- cold-rolled and electrogalvanized, in laboratory automotive corrosion tests, 66
- effect of microstructure on 9% chromium-1% molybdenum steel, 540
- high-strength, nonmetallic inclusions, 92
- iron, surface-enhanced Raman spectroscopy of inhibition of propargyl alcohol, 83
- kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671
- reference electrodes, activated titanium, 609
- sacrificial anode cathodic polarization in seawater, 419
- zinc-nickel alloy coatings, pulse-plated, 880
- Stellite**
- corrosion potential of noble metal-modified alloys in high-temperature water, 738
- Stepwise cyclic polarization. See Polarization**
- Stochastic process**
- localized corrosion, statistical and stochastic approaches, 813
- Stochastic theory**
- type 316L stainless steel, aging in seawater, 496
- Strain and strain rate**
- alpha brass, effect of halide ions on stress corrosion cracking, 690
- austenitic stainless steel, stress corrosion cracking in calcium chloride, 337
- duplex stainless steel, critical stress in sour environments, 592
- localized surface plasticity during stress corrosion cracking, 356
- transgranular stress corrosion cracking, environment-induced deformation localization, 347
- type 304L stainless steel, zinc additions and oxide rupture and repassivation kinetics, 28
- Stray current. See also Current**
- modeling, underground cathodic protection stray currents, 480
- Stress. See also Ultimate tensile stress**
- 15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143
- austenitic stainless steel, stress corrosion cracking in calcium chloride, 337
- duplex stainless steel, critical stress in sour environments, 592
- environmentally assisted cracking, prediction, 375
- ferritic steel, intergranular stress corrosion cracking, 363
- silver-gold alloys, film-induced brittle intergranular cracking, 331
- type 304 stainless steel, influence of stress and pH on stress corrosion cracking, 523
- type 321 stainless steel, stress corrosion cracking under Mode II loading, 927
- Stress corrosion cracking. See also Cracking**
- alloy 825 and type 316L stainless steel, environmental factors, 194
- aluminum alloys, electrical conductivity and susceptibility, 414
- austenitic stainless steel, life prediction in calcium chloride, 337
- carbon steel, high-purity in carbonate solutions, 428
- duplex stainless steel, critical stress in sour environments, 592
- electrochemical corrosion potential, boiling water reactors in hydrogen water chemistries, 659
- environmentally assisted cracking, prediction, 375
- Fe-Mn-Al alloys, deformation and cracking, 464
- ferritic steels, mechanistic aspects of intergranular stress corrosion cracking, 363
- localized surface plasticity during, 356
- mechanistic studies and the corrosion-assisted cleavage model, 453
- nickel-molybdenum alloys, stress corrosion susceptibility, 634
- silver-gold alloys, film-induced brittle intergranular cracking, 331
- silver-gold alloys in potassium bromide, chloride, and iodide solutions, 326
- slip-dissolution model, 728
- transgranular stress corrosion cracking, environment-induced deformation localization, 347
- type 304 stainless steel, effect of molybdate on repassivation, 243
- type 304 stainless steel, influence of stress and pH on stress corrosion cracking, 523
- type 316 stainless steel, slow strain rate in lithium bromide, 72
- type 321 stainless steel, hydrogen-induced fracture, 275
- type 321 stainless steel, stress corrosion cracking under Mode II loading, 927
- type 403 stainless steel, fatigue cracking in steam cycle environments, 262
- X-52 steel, effect of potential and solution composition, 396
- Structural steel. See Steel**
- Substructure**
- sprayed-zinc sacrificial anodes for reinforced concrete in marine service, 508
- Sulfate and sulfate solutions**
- alloy 825, prediction of localized corrosion in nuclear environments, 115
- copper, effect of sulfate on uniform and localized attack, 232
- copper, in potable water systems and natural organic matter, 307
- passive behavior of austenitic and ferritic stainless steel in phosphoric acid, 865
- titanium aluminum intermetallics, binary, 626
- type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733
- type 403 stainless steel, fatigue cracking in steam cycle environments, 262
- X-52 steel, effect of potential and solution composition on stress corrosion cracking, 396
- zinc and zinc alloy coated steels, current density mapping, 163
- Sulfate-reducing bacteria. See also Microbiologically influenced corrosion**
- alloy 625 and austenitic stainless steel, influence on weldments, 831
- Sulfidation**
- thermal spray coatings, composition and microstructure in high temperatures, 213
- Sulfide and sulfide solutions**
- passive behavior of austenitic and ferritic stainless steel in phosphoric acid, 865
- Sulfide films. See Films and film formation**
- Sulfur**
- steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671
- type 301L stainless steel, manganese and pitting, 23
- Sulfur dioxide and solutions**
- carbon and weathering steel, in wet/dry environments, 600
- thermal spray coatings, composition and microstructure in high temperatures, 213
- Sulfuric acid and solutions. See also Acids and acid solutions**
- effect of microstructure on 9% chromium-1% molybdenum steel, 540
- corrosion rate, small-amplitude potential intermodulation technique, 204
- mild steel, role of chloride ions during pickling, 154
- nickel-molybdenum alloys, stress corrosion susceptibility, 634
- oil-fired power plants, corrosion assessment of regenerative preheaters, 872
- stainless steel, acetate production, 558
- steel, kinetic-thermodynamic model for inhibition by sulfur and nitrogen, 671
- type 304 stainless steel, influence of stress and pH on stress corrosion cracking, 523
- types 316L and 304L stainless steel, infiltration and corrosion resistance, 47
- Superconducting quantum interference device**
- aircraft aluminum, superconducting magnetometry, 219
- Surface analysis**
- steel, inhibitor films in hydrogen sulfide, 447
- Surface imaging**
- stainless steel, in erosion-corrosion, 493
- Surface mobility**
- silver-gold alloys, stress corrosion cracking in potassium bromide, chloride, and iodide solutions, 326
- Surface modification**
- alloy A291D, corrosion resistance and nitrogen ion implantation, 921
- Surface plasticity**
- localized, during stress corrosion cracking, 356
- transgranular stress corrosion cracking, environment-induced deformation localization, 347
- Surface roughness**
- alloy 825, prediction of localized corrosion in nuclear environments, 115
- Surface-enhanced Raman spectroscopy**
- iron, inhibition of propargyl alcohol in hydrochloric acid solutions, 83
- Surfactants**
- 1,2-hexanediol; 1,2,3-octanetriol; and 3,7-dimethyl-1,2,3,6,7-octanepentol as inhibitors of iron corrosion in acid chloride solutions, 103
- mild steel, effect of metallic cations on inhibition of an anionic surfactant, 853
- Survival probability**
- stainless steel, breakdown potential, 760
- Synergism**
- erosion and corrosion in an aqueous environment, 934
- mild steel, effect of metallic cations on inhibition of an anionic surfactant, 853
- mild steel, molybdate and nitrite as inhibitors for copper-coupled, 16
- T**
- Tafel extrapolation**
- aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
- corrosion rate, small-amplitude potential intermodulation technique, 204
- mild steel, electrochemical model of corrosion in aqueous carbon dioxide, 280
- Temper**
- aluminum alloys, electrical conductivity and stress corrosion cracking susceptibility, 414
- aluminum-silicon carbide composites, effect on seawater corrosion, 857
- effect of microstructure on 9% chromium-1% molybdenum steel, 540
- Temperature**
- 15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143
- alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194
- alloy 825, prediction of localized corrosion in nuclear environments, 115
- copper, effect of sulfate on uniform and localized attack, 232

- iron, nonionic surfactants in acid chloride solutions, 103
- mild steel, role of chloride ions during pickling, 154
- mild steel, electrochemical model for corrosion in carbon dioxide, 280
- nickel-molybdenum alloys, stress corrosion susceptibility, 634
- thermal spray coatings, composition and microstructure in high temperatures, 213
- type 301L stainless steel, manganese and pitting, 23
- type 304 stainless steel, critical pitting potentials in high-temperature solutions, 109
- type 304 stainless steel, electrochemical potentiokinetic reactivation test and IGSCC susceptibility, 790
- type 316 stainless steel, slow strain rate in lithium bromide, 72
- types 316L and 304L stainless steel, infiltration and corrosion resistance, 47
- zinc and zinc alloy coated steels, current density mapping, 163
- Tensile strength**
aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
- Tensile testing**
Fe-Mn-Al alloys, deformation and cracking, 464
- Testing.** *See* Alternating current impedance spectroscopy; Auger electron spectroscopy; Bent-beam; Constant deflection; Constant extension rate; Constant load; Constant strain; Cyclic; Electrochemical; Electrochemical impedance spectroscopy; Electrochemical potentiokinetic reactivation; Electron spectroscopy for chemical analysis; Energy dispersive x-ray spectroscopy; Field emission scanning electron microscopy; Fourier transform infrared spectroscopy; Fractography; Galvanostatic; Gravimetric; Immersion; Ion scattering spectroscopy; Magnetometry; Metallography; Nondestructive; Optical microscopy; Polarization; Potentiokinetic polarization; Salt spray; Scab test; Scanning electron microscopy; Scanning probe microscopy; Scanning tunneling microscopy; Secondary ion mass spectroscopy; Slow strain rate; Surface enhanced Raman spectroscopy; Tensile; U-bend; Weight loss; X-ray diffraction; X-ray dispersive spectrometry; X-ray microanalysis; X-ray photoelectron spectroscopy; Zero-resistance ammetry
- Thermal exposure**
type 304 stainless steel, electrochemical potentiokinetic reactivation test and IGSCC susceptibility, 790
- Thermal spray coatings.** *See* also Coatings composition and microstructure, effect on response and substrate protection, 213
metal-doped alloy coatings by underwater thermal spraying, 440
- Thermal stress.** *See* Stress
- Thin films.** *See* also Films and film formation; Oxides and oxide films
austenitic stainless steel, nitrogen and electrochemical passivation, 36
localized surface plasticity during stress corrosion cracking, 356
- Thiosulfate and solutions**
alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194
type 304 stainless steel, pitting in thiosulfate solutions with electrochemical noise, 733
- Titanium aluminide**
cathodic corrosion during hydrogen charging, 3
- Titanium and titanium alloys.** *See* also Alloying
reference electrodes, activated titanium, 609
titanium aluminide intermetallics, binary, 626
- Transgranular corrosion and cracking.** *See* also Corrosion; Cracking
austenitic stainless steel, stress corrosion cracking in calcium chloride, 337
environment-induced deformation localization during, 347
Fe-Mn-Al alloys, deformation and cracking, 464
mechanistic studies and the corrosion-assisted cleavage model, 453
nickel-molybdenum alloys, stress corrosion susceptibility, 634
type 304 stainless steel, effect of molybdate on repassivation and stress corrosion cracking, 243
type 403 stainless steel, fatigue cracking in steam cycle environments, 262
- Transpassive potential.** *See* Potential
- Trimethylsilane**
cold-rolled steel, interface-engineered Parylene C coating, 169
- Tubing**
copper, effect of sulfate on uniform and localized attack, 232
tubing life, prediction in annular flow gas condensate wells with carbon dioxide, 801
- Tungsten and tungsten alloys.** *See* also Alloying
amorphous alloys, corrosion resistance, 183
- Two-phase alloys.** *See* also Alloying
Fe-Mn-Al alloys, deformation and cracking, 464
- Type 1010 carbon steel**
corrosion assessment of regenerative preheaters in oil-fired power plants, 872
- Type 1018 steel**
erosion-corrosion in carbon dioxide, 714
mild steel, microbiologically influenced corrosion by extracellular biopolymers, 744
- Type 1020 stainless steel**
alloy 625 and austenitic stainless steel, influence of sulfate-reducing bacteria on weldments, 831
- Type 1518 steel**
N-lauroyl sarcosine as an inhibitor in saline solutions, 177
- Type 301L stainless steel**
manganese, effect on pitting, 23
- Type 304 stainless steel**
alloy 625 and austenitic stainless steel, influence of sulfate-reducing bacteria on weldments, 831
amorphous alloys, tungsten and corrosion resistance, 183
corrosion during acetate production, 558
corrosion potential of noble metal-modified alloys in high-temperature water, 738
critical pitting potential in high-temperature chloride solutions, 109
electrochemical corrosion potential, boiling water reactors in hydrogen water chemistries, 659
influence of stress and pH on stress corrosion cracking, 523
metal-doped alloy coatings by underwater thermal spraying, 440
molybdate, effect on stress corrosion cracking and repassivation, 243
pitting in thiosulfate solutions with electrochemical noise, 733
surface imaging techniques in erosion-corrosion, 493
synergism between erosion and corrosion in aqueous environments, 934
zinc, oxide rupture strain and repassivation kinetics in high-temperature water, 28
- Type 304L stainless steel**
corrosion during acetate production, 558
corrosion resistance, infiltration and, 47
zinc, oxide rupture strain and repassivation kinetics in high-temperature water, 28
- Type 308 stainless steel**
alloy 625 and austenitic stainless steel, influence of sulfate-reducing bacteria on weldment, 831
- Type 309L stainless steel**
metal-doped alloy coatings by underwater thermal spraying, 440
- Type 316 stainless steel**
alloy 625 and austenitic stainless steel, influence of sulfate-reducing bacteria on weldments, 831
austenitic stainless steel,
stress corrosion cracking under Mode II loading, 927
boiling water reactors, modeling of corrosion potential and, 618
corrosion behavior under slow strain rate in lithium bromide, 72
corrosion during acetate production, 558
erosion-corrosion in carbon dioxide, 714
- Type 316L stainless steel**
aging in seawater and open-circuit potential, exposure time, and pitting, 496
alloy 625 and austenitic stainless steel, influence of sulfate-reducing bacteria on weldments, 831
corrosion during acetate production, 558
corrosion resistance, infiltration and, 47
stress corrosion cracking, environmental factors in nuclear waste repositories, 194
ennoblement, oxidant and capacitance measurements, 910
- Type 317L stainless steel**
alloy 625 and austenitic stainless steel, influence of sulfate-reducing bacteria on weldments, 831
- Type 321 stainless steel**
austenitic stainless steel,
stress corrosion cracking under Mode II loading, 927
hydrogen-induced fracture, 275
- Type 403 stainless steel**
fatigue crack initiation in simulated steam cycle environments, 262
- Type 4145 steel**
alloy A291D and, corrosion resistance and nitrogen ion implantation, 921
- U**
- U-bend testing**
alloy 825 and type 316L stainless steel, environmental factors in stress corrosion cracking, 194
- Ultimate tensile stress.** *See* also Stress
type 316 stainless steel, slow strain rate in lithium bromide, 72
- Underfilm corrosion.** *See* also Corrosion
electrogalvanized steel, cathodic reactions and anodic dissolution, 187
- Underground corrosion**
lead, in simulated ground water, 953
- Uniform corrosion.** *See* also Corrosion
alloy 825, prediction of localized corrosion in nuclear environments, 115
lead, in simulated ground water, 953
localized and uniform corrosion, electrochemical emission spectroscopy, 753
mild steel, electrochemical model for corrosion in carbon dioxide, 280
- UNS A92014.** *See* Al 2014
- UNS A92024.** *See* Al 2024
- UNS A92036.** *See* Al 2036
- UNS A95005.** *See* Al 5005
- UNS A95182.** *See* Al 5182; Al 5182
- UNS A96013.** *See* Al 6013
- UNS A96061.** *See* Al 6061
- UNS A96111.** *See* Al 6111
- UNS A97075.** *See* Al 7075
- UNS A97475.** *See* Al 7475
- UNS G10080**
Parylene C film, morphology of the phosphate layer by vacuum deposition, 584

UNS G10180. *See* Type 1018 steel
 UNS G10230. *See* A109 steel
 UNS G15180. *See* Type 1518 steel
 UNS G41300. *See* Type 4130 steel
 UNS G92600
 nonmetallic inclusions, 92
 UNS K02301. *See* Type 1010 carbon steel
 UNS K02502
 corrosion rate, small-amplitude potential intermodulation technique, 204
 UNS K02600. *See* A36 carbon steel
 UNS K02700. *See* A516 carbon steel
 UNS K12437
 electrochemical model for corrosion in carbon dioxide, 280
 UNS M11311. *See* Alloy AZ31B
 UNS N06082. *See* Alloy 82
 UNS N06600. *See* Alloy 600
 UNS N06625. *See* Alloy 625
 UNS N06690. *See* Alloy 690
 UNS N08825. *See* Alloy 825
 UNS N10001
 nickel-molybdenum alloys, stress corrosion susceptibility, 634
 UNS N10667
 nickel-molybdenum alloys, stress corrosion susceptibility, 634
 UNS N10675
 nickel-molybdenum alloys, stress corrosion susceptibility, 634
 UNS S30400. *See* Type 304 stainless steel
 UNS S30403. *See* Type 304L stainless steel
 UNS S30800. *See* Type 308 stainless steel
 UNS S30903. *See* Type 309L stainless steel
 UNS S31600. *See* Type 316 stainless steel
 UNS S31603. *See* Type 316L stainless steel
 UNS S31703. *See* Type 317L stainless steel
 UNS S31803
 duplex stainless steel, critical stress in sour environments, 592
 UNS S32100. *See* Type 321 stainless steel
 UNS S40300. *See* Type 403 stainless steel
 UNS W07018. *See* E7018 stainless steel
 UNS Z13001
 evaluation of sacrificial anodes for reinforced concrete bridges, 472
Utilities. *See also* Power generation industries; Water utilities
 thermal spray coatings, composition and microstructure in high temperatures, 213

V

Vacancies
 localized surface plasticity during stress corrosion cracking, 356
 transgranular stress corrosion cracking, environment-induced deformation localization, 347

Vacuum deposition
 cold-rolled steel, interface-engineered Parylene C coating, 169

Velocity
 alpha brass, effect of halide ions on stress corrosion cracking, 690
 boiling water reactors, modeling of corrosion potential, 618
 carbon steel, erosion-corrosion in carbon dioxide, 714
 stainless steel, acetate production, 558
 synergism between erosion and corrosion in aqueous environments, 934
 tubing life, prediction in annular flow gas condensate wells with carbon dioxide, 801

Vibration
 15 HM steel, hydrogen and stress in failure of heat exchanger pipes, 143

Voids
 iron, pitting in alkaline chloride solutions, 250
 thermal spray coatings, composition and microstructure in high temperatures, 213

W

Waste. *See* Nuclear waste

Waste containment vessels
 lead, in simulated ground water, 953

Water and water chemistry. *See also* High-purity water; High-temperature water; Hydrogen water chemistry
 alloy 825, prediction of localized corrosion in nuclear environments, 115
 copper, in potable water systems and natural organic matter, 307
 electrochemical corrosion potential, boiling water reactors in hydrogen water chemistries, 659
 gold, water adsorption, 843
 mild steel, electrochemical model for corrosion in carbon dioxide, 280
 mild steel, molybdate and nitrite as inhibitors for copper-coupled in cooling, 16
 stainless steel, acetate production, 558
 type 316L stainless steel, ennoblement, 910

Water utilities. *See also* Utilities
 copper, effect of sulfate on uniform and localized attack, 232

Wear
 amorphous alloys, tungsten content and corrosion resistance, 183

Weathering steel. *See also* Steel
 in wet/dry environments with sulfur dioxide, 600
 modeling of atmospheric corrosion in sulfur dioxide, 900

Weight loss and testing
 A109 steel, localized corrosion of cathodically polarized in aqueous sodium chloride, 574
 alloy A291D, corrosion resistance and nitrogen ion implantation, 921
 carbon and weathering steel, in wet/dry environments, 600
 copper, effect of sulfate on uniform and localized attack, 232
 mild steel, effect of metallic cations on inhibition of an anionic surfactant, 853
 mild steel, electrochemical modeling of corrosion in aqueous carbon dioxide, 280
 mild steel, molybdate and nitrite as inhibitors for copper-coupled, 16
 synergism between erosion and corrosion in aqueous environments, 934
 weathering steel, modeling of atmospheric corrosion in sulfur dioxide, 900

Welding and weldments
 alloy 625 and austenitic stainless steel, influence of sulfate-reducing bacteria, 831
 nickel-molybdenum alloys, stress corrosion susceptibility, 634

Wet/dry environments
 carbon and weathering steel, electrochemical studies, 600

X

X-52 steel
 solution composition and electrochemical potential, effect on stress corrosion cracking, 396

X-65 steel
 electrochemical model for corrosion in aqueous carbon dioxide, 280

X-ray diffraction

aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857
 carbon steel, in hydrogen sulfide, ammonia, and oxygen systems, 947
 electrogalvanized steel, cathodic reactions and anodic dissolution, 187
 lead, in simulated ground water, 953
 magnesium galvanic anode, electrochemical behavior under ASTM G 97-89, 502
 titanium aluminide, hydrogen charging and cathodic corrosion, 3
 zinc-nickel alloy coatings, pulse-plated, 880

X-ray dispersive spectrometry

Al 2024, microconstituent-induced pitting, 8

X-ray microanalysis

iron, pitting in alkaline chloride solutions, 250

X-ray photoelectron spectroscopy

austenitic stainless steel, nitrogen and electrochemical passivation, 36
 iron, surface-enhanced Raman spectroscopy of inhibition of propargyl alcohol, 83
 stainless steel, surface imaging techniques in erosion-corrosion, 493
 surface analysis, inhibitor films in hydrogen sulfide, 447
 titanium aluminide, hydrogen charging and cathodic corrosion, 3
 type 304 stainless steel, metal ion and copolymer interaction, 891
 type 316L stainless steel, aging in seawater, 496

Y**Yield strength**

aluminum-silicon carbide composites, effect of temper on seawater corrosion, 857

Z**Zero-resistance ammetry**

alloy 625 and austenitic stainless steel, influence of sulfate-reducing bacteria on weldments, 831
 electrogalvanized steel, cathodic reactions and anodic dissolution, 187

Zinc and zinc alloys. *See also* Alloying

aluminum-zinc-indium alloy, effect of grain-boundary corrosion on impedance, 138
 coated steels, current density mapping, 163
 electrogalvanized steel, cathodic reactions and anodic dissolution, 187
 reinforced concrete bridges, sacrificial anode materials, 472
 sprayed-zinc sacrificial anodes for reinforced concrete in marine service, 508
 transgranular stress corrosion cracking and corrosion-assisted cleavage model, 453
 type 304L stainless steel, effect of additions on oxide rupture strain and repassivation, 28
 zinc, effect of furfural in ethanolic solutions, 653
 zinc pigments, inhibition in alkaline media by aromatic hydroxy compounds, 786
 zinc-nickel alloy coatings, pulse-plated, 880

Zinc phosphate

cold-rolled steel, interface-engineered Parylene C coating, 169
 Parylene C film, morphology of the phosphate layer by vacuum deposition, 584

Zirconium and zirconium alloys. *See also* Alloying

reference electrodes and oxygen sensors, for high-temperature aqueous systems, 53

